


Faria

Chesapeake SS White

Perimeter-lighted white dial with stylish blue and black graphics, polished stainless steel bezel, contoured black pointer domed glass lens.



FAR 13850

FAR 33807

FAR 33817

FAR 33850



FAR 13852

ORDER NO.	DESCRIPTION	PRICE
Tachometers		
FAR 33807	0-6000 RPM For all 4, 6, & 8 cylinder inboard & I/O gas engines.	\$151.16
FAR 33817	0-7000 RPM Universal for all outboard engines (4, 6, 8, 10 & 12 pole).	\$151.16
FAR 33850	0-7000 RPM OMC System Check.	\$225.17
Speedometers		
FAR 33819	80 MPH Speedometer.	\$81.15
FAR 91106	Universal Pitot Tube Assembly Kit.	\$22.28
Fuel Level Gauge		
FAR 13801	Empty-Full. Operates with standard marine level senders.	\$50.77
Oil Pressure Gauge		
FAR 13802	0-80 PSI. Operates with standard marine sending units.	\$50.77
Water Temperature Gauge		
FAR 13804	100-250°F. Operates with standard marine sending units.	\$50.77
Voltmeter		
FAR 13805	10-16 volts DC. Full battery voltage range.	\$50.77
Ammeter		
FAR 13831	60-0-60 amps. Indicates charge-discharge rate in amperes.	\$47.09
Hourmeter		
FAR 13813	0-10,000 hours. Elapsed engine time in hours and tenths.	\$85.09
Cylinder Head Temperature Gauge Kit		
FAR 13806	60-220°F. For water-cooled outboard motors.	\$63.53
Trim Gauge		
FAR 13807	Mercury and Mariner outboards, Mercruiser, Volvo DP '96 & newer Volvo & Yamaha EST stern drives.	\$50.77
FAR 13809	OMC outboards Johnson & Evinrude	\$50.77
Depth Sounder		
FAR 13850	Readings from 3' to 199'. Shallow and deep alarms are both audible and visible.	\$225.17
FAR 13852	Depth range to 199'. With air/water temperatures.	\$314.72
Dummy Gauge Plugs		
FAR BL9619	2" white	\$12.76
FAR BL9618	4" white	\$21.66
FAR AP9475	2" black	\$12.76
FAR TE9640	4" black	\$21.66



FAR 13804



FAR 13805



FAR 13807



FAR 13801



FAR 13813



FAR 13113

Faria Dress White

Dress White is easily identifiable on any dash. The black graphics are easily read on white dials surrounded by non-glare white bezels.



FAR 33103




FAR 33112

ORDER NO.	DESCRIPTION	PRICE
Tachometers		
FAR 33103	0-6000 RPM for 4, 6, & 8 cylinder gas inboards and I/O's. Also outboards with 12 pole alternator.	\$126.42
FAR 33104	0-7000 RPM for outboard with 4, 10 & 12 pole alternator.	\$126.42
Speedometers		
FAR 33112	55 MPH	\$64.84
FAR 33113	80 MPH	\$64.84
FAR 91106	Pitot Tube Kit	\$22.28
Fuel Level Gauge		
FAR 13101	Empty-Full. Operates with standard marine level senders.	\$41.86
Oil Pressure Gauge		
FAR 13102	0-80 PSI. Operates with standard marine sending units.	\$41.86
Water Pressure Gauge Kit		
FAR 13108	0-30 PSI. For water-cooled outboard motors. Complete with installation kit.	\$81.15
Water Temperature Gauge		
FAR 13110	100-250° F. Operates with standard marine sending units.	\$41.86
Voltmeter		
FAR 13120	10-16 volts DC. Full battery voltage range.	\$41.86
Hourmeter		
FAR 13121	0-10,000 hours. Elapsed engine time in hours and tenths of hours. Operates on 12-32 volts. DC Not illuminated.	\$78.53
Cylinder Head Temperature Gauge Kit		
FAR 13113	60-220°F. For water-cooled outboard motors. Complete with sending unit.	\$56.65
Trim Gauge		
FAR 13122	Mercury and Mariner outboards Mercuriser stern drives.	\$41.86
Depth Sounder		
FAR 13150	Readings from 3 to 199' Shallow and deep alarms are both audible and visible.	\$225.17
Dummy Gauge Plugs		
FAR BL9619	2" white	\$12.76
FAR BL9618	4" white	\$21.66
FAR AP9475	2" black	\$12.76
FAR TE9640	4" black	\$21.66



FAR 13101

FAR 13102




FAR 13108

FAR 13122



FAR 13120

FAR 13150



FAR 13121

FAR 13110

Faria

Euro and Euro White

Beautiful, rugged and distinctive describe this series of instruments. With distinctive graphics and sculpted pointers, the elegant graphics compliment the European style bezels.



FAR 32804



FAR 32909



FAR 12812



FAR 12823



FAR 12828



FAR 12819



FAR 12801



FAR 12950



FAR 12915



FAR 12902



FAR 12911



FAR 12913

ORDER NO.	DESCRIPTION	PRICE
Tachometers		
FAR 32804	Euro 0-6000 RPM for 4, 6 & 8 cylinder gas inboards and I/O's.	\$124.38
FAR 32904	Euro White 0-6000 RPM for 4, 6 & 8 cylinder gas inboards and I/O's.	\$124.38
FAR 32805	Euro 0-7000 RPM for outboard motors with 4, 6, 8, 10, or 12 Pole alternators.	\$124.38
FAR 32905	Euro White 0-7000 RPM for outboard motors with 4, 6, 8, 10 & 12 Pole alternators.	\$124.38
Speedometers		
FAR 32810	Euro 55 MPH speedometer.	\$63.53
FAR 32909	Euro White 55 MPH speedometer.	\$63.53
FAR 91106	Universal pitot tube assembly kit.	\$22.28
Fuel Level Gauge		
FAR 12801	Euro Empty-Full. Operates with standard marine level senders.	\$39.96
FAR 12901	Euro White Empty-Full. Operates with standard marine level senders.	\$39.96
Oil Pressure Gauge		
FAR 12803	Euro 0-80 PSI. Operates with standard marine sending units.	\$39.96
FAR 12902	Euro White 0-80 PSI. Operates with standard marine sending units.	\$39.96
Water Temperature Gauge		
FAR 12812	Euro 100-250°F. Operates with standard marine sending units.	\$38.79
FAR 12904	Euro White 100-250°F. Operates with standard marine sending units.	\$38.79
Voltmeter		
FAR 12821	Euro 10-16 volts DC. Full battery voltage range.	\$39.96
FAR 12911	Euro White 10-16 volts DC. Full battery voltage range.	\$39.96

ORDER NO.	DESCRIPTION	PRICE
Ammeter		
FAR 12912	Euro White 60-0-60 Amps. Indicates charge-discharge in amperes.	\$38.64
Hourmeter		
FAR 12824	Euro 0-10,000 hours. Elapsed engine time in hours and tenths of hours.	\$78.53
FAR 12913	Euro White 0-10,000 hours. Elapsed engine time in hours and tenths of hours.	\$78.53
Cylinder Head Temperature Gauge Kit		
FAR 12819	Euro 60-220°F. For water-cooled outboard motors.	\$53.06
FAR 12910	Euro White 60-220°F. For water-cooled outboard motors.	\$53.06
Trim Gauge		
FAR 12828	Euro Mercury and Mariner outboards, Mercruiser stern drives.	\$39.96
FAR 12916	Euro White Mercury and Mariner outboards, Mercruiser stern drives.	\$39.96
FAR 12915	Euro White OMC outboards Johnson & Evinrude	\$39.96
Battery Condition Indicator		
FAR 12823	Euro Accurately displays amount of energy remaining in any 12 volt battery.	\$54.04
Depth Sounder		
FAR 12850	Euro Readings from 3 to 199 ft. Shallow and deep alarms are both audible and visible.	\$225.17
FAR 12950	Euro White Readings from 3 to 199 ft. Shallow and deep alarms are both audible and visible.	\$225.17
Dummy Gauge Plugs		
FAR BL9619	2" white	\$12.76
FAR BL9618	4" white	\$21.66
FAR AP9475	2" black	\$12.76
FAR TE9640	4" black	\$21.66

Faria

Coral

As beautiful and enduring as their namesake, the Coral series provides the performance and great looks experienced yachtsmen demand. Bright white and blue graphics and contoured white pointers are framed by stylish matte black raised bezels edged in brushed aluminum.



FAR 13001

FAR 13002

FAR 13004

FAR 13011



FAR 13009

FAR 13013

FAR 13017

FAR 33004

ORDER NO.	DESCRIPTION	PRICE
	Tachometers	
FAR 33004	0-6000 RPM for 4, 6 & 8 cylinder gas inboards and I/O's.	\$124.38
FAR 33005	0-7000 RPM for outboard motors with 4,6,8,10 & 12 pole.	\$124.38
	Speedometers	
FAR 33009	55 MPH speedometer.	\$63.53
FAR 91106	Universal Pitot Tube Assembly Kit	\$22.28
	Fuel Level Gauge	
FAR 13001	Empty-Full. Operates with standard marine level senders.	\$39.96
	Oil Pressure Gauge	
FAR 13002	0-80 PSI. Operates with standard marine sending units.	\$39.96
	Water Temperature Gauge	
FAR 13004	100-250° F. Operates with standard marine sending units.	\$38.79
	Voltmeter	
FAR 13010	10-16 volts D.C. Full battery voltage range.	\$39.96
	Ammeter	
FAR 13011	60-0-60 Amps. Indicates charge-discharge rate in amperes.	\$38.64
	Hourmeter	
FAR 13013	0-10,000 hours. Elapsed time in hours and tenths of hours.	\$78.53
	12-32 volts DC. Not illuminated.	
	Cylinder Head Temperature Gauge Kit	
FAR 13009	60-220° F. For water-cooled outboard motors.	\$53.06
	Trim Gauge	
FAR 13017	Mercury and Mariner outboards, Mercruiser Volvo DP and Yamaha EST stern drives.	\$39.96
	Dummy Gauge Plugs	
FAR BL9619	2" white	\$12.76
FAR BL9618	4" white	\$21.66
FAR AP9475	2" black	\$12.76
FAR TE9640	4" black	\$21.66

Faria

Fuel Flow Management System

Consists of a digital fuel gauge and fuel flow transducer that monitors and measures fuel as it is being used, providing instant readings of not only what has been used but more importantly, how much is left. Other features include a selectable "low fuel alarm," trip log and total fuel consumed log. Fuel Flow is measured in .5 to 34 gallons/hour. This system is for use on gasoline engines.



ORDER NO.	SINGLE STATION	PRICE
FAR FFM001	Euro (blk. dial/blk. bezel)	\$247.20
FAR FFM002	Chesapeake SS White (wht. dial/wht. bezel)	\$247.20

Faria

Chesapeake Stainless Steel Gauges - Boxed Sets

Outboard Set: 4-gauge includes 7000 rpm universal outboard tachometer, speedometer with pitot and hose, fuel gauge and voltmeter.
 Inboard Set: 6-gauge with 6000 rpm tachometer, speedometer with pitot and hose, fuel gauge, voltmeter, 80 psi oil pressure gauge and water temperature.



ORDER NO.	DESCRIPTION	COLOR	PRICE
FAR KTF001	6 Gauge Set	SS White	\$333.30
FAR KTF002	4 Gauge Set	SS White	\$266.15
FAR KTF003	6 Gauge Set	SS Black	\$333.30
FAR KTF004	4 Gauge Set	SS Black	\$266.15

Teleflex MARINE

Amega Series Gauges

Featuring White and red graphics on a black dial background with white pointers. Domed glass sheds water and resists scratching. Also, featuring thru-dial and perimeter lighting for excellent readability at night. U.S. and metric scales, with ISO symbols, where appropriate. Low-range speedometers. Instruments available for most outboards, stern drives and gasoline-powered inboards.

ORDER NO.	DESCRIPTION	SIZE	PRICE
TEL 57902P	*Fuel Gauge (E-F)	2"	\$36.49
TEL 84760P	Hourmeter 10,000 hrs	2"	\$70.49
TEL 57903P	*Eng Oil Pres Gauge 0-80 PSI	2"	\$36.49
TEL 68357P	O/B Water Pres Kit 0-40 PSI	2"	\$73.99
TEL 57900P	*Speedo Kit 0-65 mph (inc Pitot and Hose)	3"	\$70.99
TEL 57899P	Speedo Kit 0-80 mph (inc Pitot and Hose)	3"	\$70.99
TEL 58255P	*Tachometer 0-7000 RPM	3"	\$104.99
TEL 68443P	Tach/Hourmeter 0-7000 RPM Gas	3"	\$173.49
TEL 57904P	*I/O Water Temp Gauge 120-240 F	2"	\$36.49
TEL 58862P	Outboard Water Temp Kit (Cold-Hot)	2"	\$59.99
TEL 58431P	Trim, Evinrude/Johnson O/B	2"	\$36.49
TEL 57905P	Trim, Mariner/Merc, Yamaha 2001	2"	\$36.49
TEL 57901P	*12v Voltmeter, 8-18 Volts	2"	\$36.49
TEL 68363P	Instrument Set "INBOARD/STERNDRIVE"- 6 Gauge set (*=Part of set)		\$291.99



Teleflex
MARINE
Eclipse Series Gauges

Featuring White and blue graphics on a black dial background with white pointers and perimeter lighting. Domed glass sheds water and resists scratching. U.S. and metric scales, with ISO symbols, where appropriate. Low-range speedometers. Instruments available for most outboards, stern drives and gasoline-powered inboards.



TEL 68390P



TEL 68397P



TEL 68399P



TEL 68408P

ORDER NO.	DESCRIPTION	SIZE	PRICE
TEL 68390P	Fuel Gauge (E-F)	2"	\$36.49
TEL 68392P	Eng Oil Pres Gauge 0-80 PSI	2"	\$36.49
TEL 68394P	O/B Water Pres Kit 0-40 PSI	2"	\$76.49
TEL 68396P	Speedo Kit 0-65 mph (inc Pitot and Hose)	3"	\$70.99
TEL 68397P	Speedo Kit 0-80 mph (inc Pitot and Hose)	3"	\$70.99
TEL 68399P	Tachometer 0-7000 RPM	3"	\$104.99
TEL 68400P	Tach/Hourmeter 0-7000 RPM Gas	3"	\$173.49
TEL 68401P	I/O Water Temp Gauge 120-240 F	2"	\$36.49
TEL 68402P	Outboard Water Temp Kit (Cold-Hot)	2"	\$59.99
TEL 68403P	Trim, Evinrude/Johnson O/B	2"	\$36.49
TEL 68405P	Trim, Mariner/Merc, Yamaha 2001	2"	\$36.49
TEL 68408P	12v Voltmeter, 8-18 Volts	2"	\$36.49

Teleflex
MARINE

Sahara Series

Crisp tan dials and fire-orange pointer tip, Sahara instruments provide a unique look for your dash. Combined red through-dial and white perimeter lighting provide great readability at night.

Instrument Kits

Six-gauge set No. 65485P

Suitable for gas inboard or stern-drive engines include:
Tachometer, Speedometer with pitot & hose, Fuel gauge, Water temperature, Oil pressure & Voltmeter

Four-gauge set No. 65481P

Suitable for outboard include:
Tachometer, Speedometer with pitot & hose, Fuel gauge & Voltmeter



TEL 59703P



TEL 59704P



TEL 59707P



TEL 59705P



TEL 59708P

ORDER NO.	DESCRIPTION	PRICE
TEL 59703P	Tach, O/B Alt & 4-Cycle Gas, 7K RPM	\$114.99
TEL 59704P	Speedo Kit, 65 MPH	\$75.99
TEL 61826P	Speedo Kit, 5-35 MPH	\$75.99
TEL 59705P	Oil Pressure, 0-80 PSI	\$40.49
TEL 59706P	Water Temperature, Stern Drive/Inboard	\$40.49
TEL 59707P	Fuel, 240-33 ohm	\$40.49
TEL 59708P	Voltmeter, 8-18 V DC	\$40.49
TEL 59709P	Trim, Mar/Merc, Volvo DP/SX, Yam '01	\$40.49
TEL 61870P	Water Pressure Kit, Outboard, 30 PSI	\$82.49
TEL 65481P	4 Gauge Set	\$242.99
TEL 65485P	6 Gauge Set	\$312.99



Heavy Duty Series

Features:

- Classic white graphics on deep black faces.
- Perimeter lighting for easy readability at night.
- Rugged plated steel housings for mechanical movement gauges and direct reading 60 & 100 amp ammeters.
- Others have heavy duty nylon housings.
- Ideal replacement for Stewart-Warner®.
- Low profile bezels in stainless steel finish with scratch resistant glass.



TEL 80150P



TEL 80180P



TEL 80134P



TEL 80710P



TEL 80590P



TEL 82288P

ORDER NO.	DESCRIPTION	PRICE
TEL 80710P	2" Ammeter 60-0-60 Amps 12V	\$36.49
TEL 80150P	2" Fuel 12V	\$34.49
TEL 82760P	2" Hourmeter 10,000 Hrs 12V	\$66.99
TEL 80180P	2" Oil Pressure 0-80 P.S.I. 12V	\$34.49
TEL 82288P	3" Tachometer 6000 R.P.M. 12V	\$99.99
TEL 80134P	2" Voltmeter 8-18 VDC 12V	\$34.49
TEL 80590P	2" Water Temp. 120-240°F 12V	\$34.49



Artic Series Gauges

Featuring black graphics on a white dial background with black pointers with red tip. Domed glass sheds water and resists scratching. Also, featuring thru-dial and perimeter lighting for excellent readability at night. U.S. and metric scales, with ISO symbols, where appropriate. Low-range speedometers. Instruments available for most outboards, stern drives and gasoline-powered inboards.



TEL 68371P



TEL 68374P



TEL 68365P



TEL 68383P

ORDER NO.	DESCRIPTION	Size	PRICE
TEL 68365P	# *Fuel Gauge (E-F)	2"	\$36.49
TEL 68366P	Hourmeter 10,000 hrs	2"	\$70.49
TEL 68367P	*Eng Oil Pres Gauge 0-80 PSI	2"	\$36.49
TEL 68369P	O/B Water Pres Kit 0-40 PSI	2"	\$76.49
TEL 68370P	Speedo Kit 0-35 mph (inc Pitot and Hose)	3"	\$70.99
TEL 68371P	# *Speedo Kit 0-65 mph (inc Pitot and Hose)	3"	\$70.99
TEL 68374P	# *Tachometer 0-7000 RPM	3"	\$104.99
TEL 68376P	*I/O Water Temp Gauge 120-240 F	2"	\$36.49
TEL 68377P	Outboard Water Temp Kit (Cold-Hot)	2"	\$59.99
TEL 68380P	Trim, Mariner/Merc, Yamaha 2001	2"	\$36.49
TEL 68383P	# *12v Voltmeter, 8-18 Volts	2"	\$36.49
TEL 68387P	Instrument Set "OUTBOARD" - 4 Gauge set (#=Part of set)		\$225.99
TEL 68388P	Instrument Set "INBOARD/STERNDRIVE"- 6 Gauge set (*=Part of set)		\$291.99



ProSeries™ Fog-Free Basic Instrument Kit Inboard/Stern Drive Set consists of:

- Tachometer, 65 MPH
- Speedometer (with pitot tube),
- Fuel Gauge, Water
- Temperature Gauge, Oil
- Pressure Gauge (all compatible with common marine senders), and Voltmeter.



ORDER NO.	DESCRIPTION	PRICE
TEL 62715P	Inboard/Stern Drive 6 Gauge Set, Premier	\$357.60



Universal Hourmeters

White graphics on black background. Universal styling blends into any dash or engine compartment. Tracks engine operating hours for routine maintenance. Available in round and rectangular styles. Round unit mounts like 2" gauge.



ORDER NO.	PRICE
TEL 56966P	\$66.99



ORDER NO.	PRICE
TEL 56967P	\$66.99



Accessories

Temperature Senders For 100° - 240°F Gauges 240 OHM Range.



ORDER NO.	SINGLE STATION	PRICE
TEL 52320S004	Temperature Sender, 1/4" NPT	\$22.79
TEL 52320S009	Temperature Sender, 3/8" NPT	\$16.49
SIE TS26631	Temperature Sender, S.S., 1/2" NPT	\$21.99



ORDER NO.	DUAL STATION	PRICE
SIE 185897	Temperature Sender, 3/8" NPT	\$21.49
SIE 185898	Temperature Sender, 1/2" NPT	\$15.99



Oil Pressure Senders 240 OHM Range.

For 80 PSI Gauge Single Station:		
ORDER NO.	DESCRIPTION	PRICE
SIE 185899	1/8" NPT Thread	\$28.99

For 100 PSI Gauge Single Station		
ORDER NO.	DESCRIPTION	PRICE
SIE OP24301	1/8" NPT Thread	\$51.49

For 80 PSI Gauge Dual Station:		
ORDER NO.	DESCRIPTION	PRICE
SIE OP24891	1/8" NPT Thread	\$55.49



Replacement Senders, O/B Temp

ORDER NO.	DESCRIPTION	PRICE
SIE 185896	Fits most outboards	\$19.49



Pitot Tube for Marine Speedometers, 30-80 MPH

- Replacement pitot for all marine speedometers
- Weed-resistant system
- Provides steady water pressure required for accurate readings



ORDER NO.	DESCRIPTION	PRICE
TEL 56973P	Pitot Tube Assembly	\$12.99
TEL 56353P	100' Pitot Tubing	\$39.99



Gauge Wiring Accessories

- Tachometer harnesses:
- Permits fast installation of tach
- BIA color-coded harness



ORDER NO.	DESCRIPTION	PRICE
TEL IH14767	OMC/Johnson/Evinrude - 3-Wire Plug	\$51.49
TEL IH15105	Mercury/Mariner - 5-Wire Plug	\$69.63



Pitot Tube Shield Stamped 304 stainless



ORDER NO.	PRICE
SDG 3313101	\$1.45



Light Kits

For all gauges exc. heavy duty: wedge base socket and clear 12V bulb 2CP.



ORDER NO.	PRICE
TEL IA62995	\$3.89



Oil Pressure Senders

1/8" NPTF American 80 PSI Dual Standard



ORDER NO.	PRICE
FAR 90511	\$49.13



Marine Engine Warning Kit

Protects engines from the two major causes of damage: no lubrication and overheating. Handy kit includes buzzer, temperature switch and low oil pressure switch. Buzzer sounds when oil pressure is too low and/or the engine coolant temperature is too high. Pressure switch operates at 6 psi; temperature switch operates at 200° F (93.3°C). Installation instructions are included.

- For inboard and I/O engines
- Buzzer is constructed from impact-resistant ABS resin, and has moisture-resistant insulator
- For use with 12V DC systems



ORDER NO.	DESCRIPTION	PRICE
COL M40177BP	Kit Complete	\$54.40
COL M4099	Replacement Buzzer	\$20.95



Engine Warning System

Audible warning system for engine temperature and pressure. Loud warning buzzer makes certain the operator is warned of dangerously high engine temperatures or low engine oil pressure. Kit includes instructions, oil pressure switch (set at 6 PSI) and temperature switch (set at 200°F).



ORDER NO.	PRICE
SIE MP41400	\$51.49



Fume, Fire and Flood Detector

Marine Operating Specifications

- Easy, snap together assembly.
- Marine environment tested for salt water spray, shock, temperature extremes, vibration and corrosion.
- Power 12 vDC, operational range 7-16 volts.
- 200 milliamp (.2 amp.) current draw.
- Fumes Detected: Gasoline, hydrogen from batteries, propane, alcohol, acetone, methane and other explosive vapors.
- Fire Alarm Trigger: 180° Thermal Switch.
- Flood sensor triggers during high bilge water conditions.
- On/Off/Test Switch. For one touch analysis of detector performance.
- Size: 3-1/4"W x 2-3/4"H x 3/4"D.



ORDER NO.	PRICE
MTI SA10XL	\$353.08



Smoke Alarm

Features Include:

- Alarm Mute with Auto Reset - Used to temporarily silence alarm during ventilation. Detector automatically resets.
- 5 Year Limited Warranty.
- Easy to install - No wiring required.
- 24 hour continuous protection.
- Low battery signal.
- Safe ionization technology.
- Micro design and engineered.
- Battery operated - 9 volt battery included.
- Suitable for use in recreational vehicle.



ORDER NO.	PRICE
MTI SA668M	\$14.38



Advantages At A Glance - M-2A-R 2-Channel Gasoline Fume Detector

Two-channel monitoring capability in a low profile, water resistant design 4 3/4" by 3 3/4" by 7/8". Features include: 50% less current draw, plug-in splash proof sensor/s (second sensor optional), display module "Fault" light alarm and separate sensor/s fault light. (Fault indicators let you know the module or sensor/s are not working and may need repair.) Press to test for each sensor channel confirms function. Alarm silence button deactivates alarm horn. The M-2A sensors are calibrated to provide both a visual and audible alarm should fume buildup reach 18% to 20% LEL (Lower Explosive Limit). This alarm level is high enough to eliminate most nuisance alarms but low enough to allow some time to take action.



ORDER NO.	PRICE
FRB M2AR	\$393.28

MARINE TECHNOLOGIES INC.

Carbon Monoxide Alarms

- Memory Scan™. Retains the CO level that activated the alarm.
- Fully Operational During Mute. Mute does not override detection circuit, giving you full time protection.
- Micro Current Technology. Saves precious battery power.
- Two Level Alarm - Caution and Hazardous. Caution notifies you of moderate (60ppm) levels of CO, helps protect high risk groups, seniors and children.
- Long Life, Self Cleaning Sensor. Maintenance free sensor. No need to replace every 2 or 3 years.
- Loud 85 dB Alarm. Alerts you to CO danger.
- Test/Reset Button. Used to temporarily silence alarm during ventilation. Tests all detector functions and activates Memory Scan.



ORDER NO.	DESCRIPTION	PRICE
MTI 60541	Surface Mount	\$99.50
MTI 60542	Flush Mount	\$99.50

XINTEX

Gasoline Fume Detector

An ideal single channel gasoline fume detector, featuring high-tech styling, compact size, circuitry test and alarm horn Mute functions. The power on indicator lamp automatically increases in brightness during daylight and softens at night. Includes a standard two-inch display unit with gasoline sensor and twenty feet of plug-together lead. It can also detect high concentrations of battery hydrogen or engine exhaust. Installation is quick and simple.



ORDER NO.	DESCRIPTION	PRICE
FRB M1R	Gasoline Fume Detector	\$238.57

XINTEX Carbon Monoxide Detector

Multiple Location Warning

- When one CO Sentinel alarms, all connected CO Sentinel alarms sound

Low Battery Current Draw

- Extremely low current draw permits direct battery connection without discharge

Stylish and Sleek Design

- Takes up less wall space with its low profile design

Quality and Reliability Built-in

- Listed to UL 2034 rigid Marine Standards
- Microprocessor controlled
- Conformal coated board on both sides, provides added protection from the harsh marine environment
- Our time-weighted average CO measurement process constantly monitors all CO levels eliminating most false alarms
- State of the art sensor is not affected by common cleaning solvents



ORDER NO.	DESCRIPTION	PRICE
FRB CMD4MR	CO Detector	\$166.96

XINTEX

9V Marine Carbon Monoxide Alarm

- Time Weighted Average sensor technology – advanced CO monitoring technology
- Patented biomimetic sensor mimics the human response to carbon monoxide
- Sensor is not affected by common cleaning solvents
- Listed to UL 2034 rigid marine standards
- Ceiling or wall mount
- Install one CO alarm in every sleeping area, galley, and confined space for adequate protection
- Ideal for all boats requiring additional CO alarm protection and for boats without a CO alarm
- Dimensions: 4-3/4" diameter x 1-1/2" height
- 1 year limited warranty
- Uses 9V Battery



ORDER NO.	PRICE
FRB CMD1MR9V	\$155.72

XINTEX MS-2 Gasoline and Propane Sensor

Red, with quick disconnect 12" lead, and standard sensor cable 20' for use with M-1-R, MB-1-R, M-2A-R, MB-2-R, S-1, S-1A, S-2A. (Replaces MS-1 and PS-1).



ORDER NO.	PRICE
FRB XMS2	\$99.02

MARINE TECHNOLOGIES INC.

Gasoline Fume Detectors

Marine Operating Specifications

- Easy, snap together assembly.
- UL listed to Marine Combustible Gas Indicators UL 1110.
- Power 12 vDC, operational range 7-16 volts.
- 200 milliamp (.2 amp.) current draw.
- Alarm Trigger: 20% or less of the lower explosive limit of gasoline.
- Fumes Detected: Gasoline, hydrogen from batteries, propane, alcohol, acetone, methane and other explosive vapors.
- On/Off/Test Switch. For one touch analysis of detector performance.
- Size: SA-1 fits standard 2 1/8" in dash panel blank.
SA-1XL: 3 1/4"W x 2 3/4"H x 3/4"D.

ORDER NO.	DESCRIPTION	PRICE
MTI SA1	Dash Mount 2-1/8"	\$195.05
MTI SA1XL	Surface Mount	\$195.05



MTI SA1