

84 UNDERWATER LIGHTING



GEN II Underwater L.E.D. Lighting

- No Lens seal to leak.
- Very low DC power consumption.
- Very low heat emission.
- Can be operated out of the water.
- Long life, high output **LED** light engine.
- High impact resistant polycarbonate housing.
- No bonding to anodes required. (Housing cannot corrode)
- Serviceable from inside the boat.

- Each Aqualuma product comes with Aqualuma Sealant & 12ft cabling.
- Easy install = low installation cost.
- Two year warranty.



The 1 Series – Our smallest and least expensive underwater light.

The 3 Series – The Original. AQUALUMA Underwater Lighting 3 series was designed with long life in mind. The corrosion proof, injection molded polycarbonate housing that is the signature of all the AQUALUMA range was first created for the 3 series.

The 6 Series – This larger option has been designed in response to the large number of requests from the world's super yacht industry who have very quickly grasped the obvious advantages of the AQUALUMA products.

The Tri Series – You choose to operate either one of the two colors for the amazing light show of the AQUALUMA 3 series or run them together and get a mix of the two with the intensity of the AQL 6 series.

| ORDER NO. | DESCRIPTION | PRICE |
|------------|-----------------------|----------|
| AQL W12P | 1 Series White | \$329.00 |
| AQL B12P | 1 Series Blue | \$329.00 |
| AQL WW32P | 3 Series White | \$559.00 |
| AQL BW32P | 3 Series Blue | \$799.00 |
| AQL W62P | 6 Series White | \$899.00 |
| AQL B62P | 6 Series Blue | \$899.00 |
| AQL 6BWT2P | Tri Series Blue/White | \$999.00 |
| AQL SEAL | Sealant | \$18.00 |
| AQL GSK3 | Gasket for 3 Series | \$5.00 |
| AQL GSK6 | Gasket for 6 Series | \$5.80 |

PERKO^{INC} Surface Mount L.E.D. Underwater Lights

- Lightweight Molded Plastic Body
- Affordable, Rugged & Reliable
- Low Draw, Long Life L.E.D. Lighting
- Installs Easily with 3 Screws
- 12 Volt, 2W, 50 Lumens
- Lab Rated Bulb Life: 50,000 Hrs
- Projection: 1-1/4"
- Overall Diameter: 2-7/8"
- Available in Single or Double Pack

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-------------|----------|
| EACH | | |
| PER 0181DP1WHT | White | \$164.32 |
| PER 0181DP1BLU | Blue | \$164.32 |
| PAIR | | |
| PER 0181DP2WHT | White | \$318.70 |
| PER 0181DP2BLU | Blue | \$318.70 |



LED Underwater Lights

These surface mounted LED underwater lights attracts fish and adds ambiance. Made with high quality Marine grade 316 stainless steel

Bay Lights - 3.5" Dia by 5/8" high and has an amperage draw of .65A. Operates on input current between 10.5 - 14 VDC. Even with this low draw, the light produces 450 Lumens! Very powerful flood type of light pattern will illuminate up to 40-50 feet in clear water, while radiating from very close to the transom.

Canyon Lights - Wwill first penetrate the water away from the transom out to about 10 feet before then forming a flood pattern up to 100 feet in clear water. The Canyon Light is a 4-5/8" Dia by 1-1/16" high and operates on input current between 10.5 - 30 VDC and has an amperage draw of 1.8A. Produces 850 Lumens! A supplied power regulator must be used.

Coastal Lights "Variable Intensity" - You have the ability to set the lights intensity! With a total Maximum output of 1100 Lumens. The output is varied with either 3, 6 or 9 LED's. The Coastal Light is a 4-5/8" Dia by 1-1/16" high. Operates on input current between 10-24 VDC and has an amperage draw of 1.8A. A supplied power regulator must be used.

Multi Light - Multi colored. Three choice colors in one light, white, blue and green. Any combination of colors can be on at the same time! With a total Maximum output of 900 Lumens, The Multi Light is a 4-5/8" Dia by 1-1/16" high. Operates on

input current between 10-24 VDC and has an amperage draw of 1.8A. A supplied power regulator must be used.

| ORDER NO. | DESCRIPTION | PRICE |
|-----------------------|--------------------|----------|
| BAY LIGHTS | | |
| BRI BLWH | White | \$350.00 |
| BRI BLBL | Blue | \$380.00 |
| BRI BLGR | Green | \$380.00 |
| BRI BLMKIT | Mounting Kit | \$37.99 |
| CANYON LIGHTS | | |
| BRI CYWH | White | \$599.00 |
| BRI CYBL | Blue | \$659.00 |
| BRI CYGR | Green | \$659.00 |
| BRI CYMKIT | Mounting Kit | \$44.99 |
| COASTAL LIGHTS | | |
| BRI COWH | White | \$799.00 |
| BRI COBL | Blue | \$869.00 |
| MULTI LIGHT | | |
| BRI MULTI | White, Blue, Green | \$899.00 |



PERKO^{INC} Thru-Hull Underwater Lighting

- Bulbs can be changed from inside the boat while still in the water
- The safety seal design prevents water intrusion if the lens is broken
- Polished Bronze



INCANDESCENT LAMP

Figs. 0174 & 0175 – INCANDESCENT LIGHT FEATURES

- Interchangeable blue & green colored filters snap onto lens
- Two different size options are available
 - 1) **Fig. 0174** – requires a 2-3/8" diameter hole
 - Multiple voltages & beam spreads available
 - Up to 800 lumen, 3000 CBCP output
 - Up to 5,000 hours average bulb life
 - 2) **Fig. 0175** – requires a 1-3/4" diameter hole
 - Up to 550 lumen, 1300 CBCP output
 - Up to 3,500 hours average bulb life

| Incandescent Lamp | | |
|-------------------|---------------------|----------|
| ORDER NO. | BULB BEAM | PRICE |
| PER 0174DP3PLB | 25° & 40° (50 Watt) | \$466.37 |
| PER 0175DP3PLB | 30° (35 Watt) | \$310.92 |
| Replacement Bulbs | | |
| PER 0077DP112V | 25° | \$39.11 |
| PER 0077DP212V | 40° | \$39.11 |

L.E.D. LAMPS — Fig. 0176 – L.E.D. LIGHT FEATURES

- L.E.D.s use 1/10th the energy, run cooler and last longer than incandescent lights
- Requires a 2-3/8" diameter hole
- Up to 85 lumen, 310 CBCP output
- 50,000 hour average bulb life


| L.E.D. Lamp | | |
|----------------|--------------|----------|
| ORDER NO. | BULB BEAM | PRICE |
| PER 0176DP3PLB | 20° (5 Watt) | \$555.36 |

THE NEXT GENERATION OF MARINE LIGHTING



Bay Light
#BL-WH/BL/GR

Coastal Light
The 1st Variable Intensity
LED Underwater Light



Canyon Light
#CY-WH/BL/GR



#CO-WH/BL/GR

Multi Light
Tri- color
LED Underwater Light



#BRIMULTI

All underwater lights now available in 316 stainless Steel or Bronze



LED Cupholders: #CUP-WH/BL/GR/GLD



Strip LED: #ILL/ILL-JR-WH/BL/GR/RD

PERKO OFFERS UNDERWATER LIGHTS... WITH OPTIONS

CHOOSE PERKO'S INCANDESCENT LAMP IF...

- You want as much "light per dollar" as possible
- You have adequate power on board
- You want the option to change light colors
- You use your boat at night less than 50 days per year

Figs. 0174 & 0175 - INCANDESCENT LIGHT FEATURES

- Interchangeable blue & green colored filters snap onto lens
- Bulbs can be changed from inside the boat while still in the water
- The safety seal design prevents water intrusion if the lens is broken
- Lights are available in either polished bronze or chrome plated finishes
- Two different size options are available

- 1) **Fig. 0174** - requires a 2-3/8" diameter hole
 - Multiple voltages & beam spreads available
 - Up to 800 lumen, 3000 CBCP output
 - Up to 5,000 hours average bulb life

- 2) **Fig. 0175** - requires a 1-3/4" diameter hole
 - Multiple voltages available
 - Up to 550 lumen, 1300 CBCP output
 - Up to 3,500 hours average bulb life



Fig. 0174

CHOOSE PERKO'S L.E.D. LAMPS IF...

- You want minimal power consumption
- You are concerned about heat and/or vibration
- You want light when the boat is out of the water
- You use your boat at night more than 75 days per year

Fig. 0176 - L.E.D. LIGHT FEATURES

- L.E.D.'s use 1/10th the energy, run cooler and last longer than incandescent lights
- Bulbs can be changed from inside the boat while still in the water
- The safety seal design prevents water intrusion if the lens is broken
- Lights are available in either polished bronze or chrome plated finishes
- Requires a 2-3/8" diameter hole
- Up to 85 lumen, 310 CBCP output
- 50,000 hour average bulb life



Fig. 0176

Figs. 0174 & 0175 - Incandescent Ordering Information

| Description | Bulb Beam | Bulb Wattage | ORDER NO. |
|-----------------|-----------|--------------|----------------|
| Polished Bronze | 25° & 40° | 50 | PER0174DP3PLB |
| Polished Bronze | 30° | 35 | PER 0175DP3PLB |

Fig. 0176 - L.E.D. Ordering Information

| Description | Bulb Beam | Bulb Wattage | ORDER NO. |
|-----------------|-----------|--------------|----------------|
| Polished Bronze | 20° | 5 | PER 0176DP3PLB |

PERKO
UNDERWATER
LIGHTING 8/07



PWC Brake Light

The ABS alerts other PWC riders and boaters when the operator releases the throttle for at least 1/2 second. When the throttle is released for a period of time, the unit automatically goes into a flash mode. This increases visibility to surrounding boats and can alert other vessels for assistance due to mechanical problems by manually setting the "SOS" mode, which would be automatically canceled if the engine were restored. Because it uses low-energy-draw LED lights, the Aqualuma Brake Light System can flash for days without running down the vessel's battery.



| ORDER NO. | PRICE |
|-----------|----------|
| AQL BL | \$229.99 |



Compact Monterey Docking Lights

- 50 watt, 24° angle bulb for better illumination during docking
- Each draws 3.3 amps
- Easy screw on/off lens for bulb replacement
- Includes 50 watt halogen bulb
- Oval 4-1/2" x 8"



| ORDER NO. | DESCRIPTION | PRICE |
|------------|------------------------|----------|
| AQS 851037 | White Bezels | \$193.95 |
| AQS 851047 | Stainless Steel Bezels | \$214.95 |



Stainless Steel Adjustable Spreader Light

Stainless Steel housing with prewired 12 volt 35 watt sealed beam bulb.



| ORDER NO. | LENGTH | CANDLE-POWER | PRICE |
|-------------|------------------|--------------|---------|
| SDG 4052103 | 4-1/2" | 3000 | \$68.25 |
| SDG 405411 | Replacement Bulb | | \$24.95 |

PERKO^{nc} Adjustable Spreader Floodlight

- All brass chromium-plated sealed beam
- 12 volts
- Fully watertight unit for flood-lighting decks, anchorages, docks or sails

| SIZE | |
|-------------------------|--------------|
| Diameter Overall Inches | Depth Inches |
| 4-5/8 | 2-1/2 |



| ORDER NO. | PRICE |
|----------------|----------|
| PER 0280DP112V | \$118.58 |



Trim Tab Light

Constructed with a high-tech polymer housing that is extremely rugged, impact resistant and non-corrosive

- Mounts to trim tab or L bracket
- Low DC power consumption
- Draws less than 1 amp @ 12 volt DC
- Low heat emission
- Can be run out of water (while boat is planning)
- 3 x Long life high output LED's
- No bonding required
- No corrosion
- 12ft. tinned underwater cable
- 2 year warranty



| ORDER NO. | COLOR | PRICE |
|-----------|-------|----------|
| AQL BTTP | Blue | \$413.33 |
| AQL WTTP | White | \$419.00 |

MORSE Docking Lights

For safe nighttime boating.

Light up the night for safer travel or docking in unfamiliar channels and congested areas. Morse docking lights mount below the deckline, in the bow, or the transom. Aircraft type landing light spreads evenly to port, starboard and ahead. Installs easily in any hull type. TYPE R: For runabouts and small cruisers, 12 volt.



| ORDER NO. | PRICE |
|-----------|----------|
| AQP 95001 | \$449.00 |

Replacement Lamp

12 volt.



| ORDER NO. | PRICE |
|-----------|----------|
| AQP 95002 | \$119.00 |



Docking / Hull / Backup Lights - Stainless Steel

- 12-Volt DC Systems
- 50-Watt Halogen Lamp
- Draws 4 Amps Each
- Sealed Built-in Rear Heat Sink
- Thermal Insulated Wires
- Pyrex Optical Lens
- Spring Loaded Lamp Assembly
- Removable Screw On/Off Lens
- Water Tight Gaskets Included
- Mirror Polish Finish
- Sold in Pairs

Dimensions:
7.57" L x 4.32" W x 4.89" D



| ORDER NO. | PRICE |
|--------------|----------|
| INN 58002007 | \$167.90 |



Halogen Deck Lamps

State of the art Free Form lens reflector technology set these spreader lamps apart from all others. Free Form technology puts the optics in the reflector allowing for 30% more light output than conventional lamps. All hardware is chrome plated, 316 stainless steel. Unique cable sealing system keeps water out of the lamp. UV stabilized, impact resistant plastic housing. Includes 12V 55W halogen H3 bulb.



| ORDER NO. | COLOR | PRICE |
|-----------------|-------|---------|
| MAR BEPML005WWD | White | \$50.99 |
| MAR BEPML005BWD | Black | \$50.99 |

JABSCO High Intensity Discharge XENON Floodlight

Up To 4 Times **BRIGHTER** Than Halogen Light!

- Internal ballast
- 5000 hour life
- Completely sealed
- Adjustable stainless steel bracket
- Isolation mounted to withstand vibration
- 12 volt

Typical Marine Lighting Applications:

- Shrimp and fishing boats
- Compartment lighting
- Deck lighting
- Emergency lighting
- Sold in pairs



| ORDER NO. | PRICE |
|---------------|-----------|
| ITT 631420012 | \$1033.12 |




Headlights

Now a boat head light rugged enough to withstand the poundings of rough water. Durable, rugged all rubber housing is completely weather-proof and unbreakable. Protects sealed beam from shock & vibration. The sealed beam lamp is 110,000 candle power with a concentrated beam that lights the way for you to see obstacles in the water. Comes complete with two housings, two sealed beams, switch panel and all mounting hardware for lights.



| ORDER NO. | PRICE |
|-----------|----------|
| THM HL1 | \$120.99 |



Tungsten Halogen Floodlight

Unique trapezoidal light beam from a specially designed lens gives excellent and even floodlight coverage. The tungsten halogen bulb produces 9900 bulb candle-power. Average bulb life is 450 hours. The totally weatherproof design made of high impact polypropylene has stainless steel fittings. Mounting bracket allows for easy mounting in a variety of installations.



Replacement Bulbs

| ORDER NO. | SIZE | PRICE | ORDER NO. | MODEL | SIZE | PRICE |
|---------------|---------|----------|---------------|------------|---------|---------|
| ITT 459000000 | 4" x 6" | \$111.34 | ITT 459030000 | 45900-0000 | 4" x 6" | \$65.82 |
| ITT 459001000 | 3" x 5" | \$81.70 | ITT 459030002 | 45900-1000 | 3" x 5" | \$49.96 |



Flood Light

- Injection-molded nylon/stamped 304 stainless bracket
- 3000 candle power
- 4-3/4" round replacement bulb – GE4411 or equivalent



| ORDER NO. | PRICE |
|-------------|---------|
| SDG 4051503 | \$19.95 |



525 Series Docking Lights

Corrosion resistant ABS housings and rims with matte black finish. 55 watt halogen bulbs with precision cast, hardened glass lenses and vaporized aluminum-coated reflectors. M525S has all stainless steel hardware.



| ORDER NO. | PRICE |
|------------|---------|
| AND V525S2 | \$54.69 |



Features:


- Low profile styling makes these docking lights ideal for pontoon and houseboats
- Corrosion-proof ABS housing and rim with matte white finish
- Contains powerful H3, 55 watt halogen bulbs
- Stainless steel hardware
- Complete kit contains:
 - Lights, Harness and connectors and Switch



| ORDER NO. | COLOR | PRICE |
|------------|-------|---------|
| AND E5172W | White | \$39.20 |



- Injection-molded fiberglass nylon/stamped 304 stainless



| ORDER NO. | A DIM | B DIM | C DIM | PRICE |
|------------|--------|----------|----------|---------|
| SDG 405510 | 2-7/8" | 2-11/16" | 5-11/16" | \$29.99 |



- Injection-molded fiberglass nylon with stamped 304 stainless bracket
- 12 volt, 55 watt bulb



| ORDER NO. | DESCRIPTION | PRICE |
|-------------|--------------------------------------|---------|
| SDG 405110 | 6-5/16" W x 4-3/4" H | \$45.95 |
| SDG 405115 | 5-15/16" W x 3-3/16" H | \$35.95 |
| SDG 4051111 | Replacement bulb for 405110 + 405115 | \$6.95 |

GOLIGHT™ Search Lights

Can be operated by wired dash-mount controller or a wireless hand-held controller or both. Both controllers are capable of turning the light on/off and rotating it 370° horizontally and 135° vertically. 12 volts, 400,000 candle power.

- Encased gears and motors.
- Salt water & highest UV protection available.
- Tested to meet or exceed SAE standards.
- CR5 Pentabeam Technology.
- Three Year Limited Warranty.

Permanent Mounted Search Lights



Radiator® Model 2067

- Dash mounted remote with 20' wiring harness and wireless hand-held remote with range of 150'

| ORDER NO. | PRICE |
|-----------|----------|
| GLT 2067 | \$398.05 |



Radiator® Model 2000

- Wireless hand-held remote with range of 150'

| ORDER NO. | PRICE |
|-----------|----------|
| GLT 2000 | \$344.95 |



Golight™ Model 2020

- Dash-mounted remote with 20' wiring harness

| ORDER NO. | PRICE |
|-----------|----------|
| GLT 2020 | \$235.67 |

Portable Searchlights



Radiator® Model 7900

- Portable hand-held wireless remote
- Permanent mounting shoe
- Temporary suction mount

| ORDER NO. | PRICE |
|-----------|----------|
| GLT 7900 | \$344.95 |



Golight™ Model 5167

- Portable 15' wired remote control
- Permanent mounting shoe
- Temporary suction mount

| ORDER NO. | PRICE |
|-----------|----------|
| GLT 5167 | \$185.69 |

GOLIGHT™

Stryker Lights

The Stryker lights boast a remarkable 500,000 TRUE candlepower and an exclusive 5 year warranty. A new mounting system utilizes a stainless steel mounting plate which under-locks to the light for a quick, simple, and sturdy installation. A wireless dash control can be mounted permanently which also eliminates the need to route a harness from the light to the dash control. A wireless hand held remote is also available. The controls will turn the light on/off, and rotate it 370° horizontally and 135° vertically.



3100

Wired

| ORDER NO. | DESCRIPTION | PRICE |
|-----------|--|----------|
| GLT 3020 | Searchlight – White w/ Hard Wired Dash MT Remote | \$391.89 |



3106

Wireless

| ORDER NO. | DESCRIPTION | PRICE |
|-----------|---|----------|
| GLT 3100 | Searchlight – White w/ Wireless Remote | \$373.47 |
| GLT 3106 | Searchlight – Chrome w/ Wireless Remote | \$421.14 |
| GLT 30100 | Wireless Hand Held Remote | \$67.00 |



Motor Driven Remote Control Searchlights 5" (130RC) & 7" (200RC) Sizes

Gives you fingertip control from anywhere on board your boat! The completely motorized drive unit is enclosed in light housing. Our exclusive Clutch-A-Matic feature protects the drive unit against overload and allows light to be operated for extended periods against limit stops without harm. Light head can be moved manually without damage. The 7" model is constructed of solid brass with a polished chrome finish, designed for handling severe marine conditions. The 5" model is constructed of an electro-polished stainless steel that will not tarnish or rust. All light models include new watertight control. The 5" models include a separate 8' wiring cable with plug connectors on each end. The 7" models include 9' of wiring cable from light base with plug connector on one end. Secondary control panel no. 43670-0004 is optional. Additional cable assembly may be required for installation of secondary control.


| ORDER NO. | DESCRIPTION | PRICE |
|----------------|--------------------------------|-----------|
| ITT 620264002H | Stainless Steel 5" Sealed Beam | \$779.46 |
| ITT 620404002 | Chrome Plated 7" Sealed Beam | \$1138.18 |
| ITT 436700003 | Replacement Control | \$197.47 |

Wiring Kit

| ORDER NO. | DESCRIPTION | PRICE |
|---------------|-------------|----------|
| ITT 439900013 | 10' Cable | \$94.74 |
| ITT 439900014 | 15' Cable | \$111.90 |
| ITT 439900015 | 25' Cable | \$171.44 |

Replacement Bulbs


| ORDER NO. | DIA | LIGHT | VOLT | WATTS | CANDLE POWER X1000 | PRICE |
|---------------|-----|-------|------|---------|--------------------|----------|
| ITT 672960000 | 5" | 62026 | 12 | 100 | 100/50 | \$58.79 |
| ITT 672620000 | 7" | 62040 | 12 | 100/100 | 270 | \$104.01 |



Wireless Remote Control

- Adds wireless control to existing searchlight installations for both console and remote control operation
- Can be installed for wireless-only operation
- 12 and 24 volt operation
- True 8-way directional control with instant response for precise targeting
- "On/off" and "spot/flood" (applicable models) function selection with LED battery check
- Long life lithium batteries for hand-held remote control
- Meets all regulatory requirements for FCC
- First "on" learning mode syncs transmitter and receiver codes for no cross-talking with other remote control devices
- Power saving "sleep mode" when not in use

| ORDER NO. | PRICE |
|---------------|----------|
| ITT 600000000 | \$146.60 |



Secondary Control

Control the Jabsco motorized remote control searchlight from anywhere you choose – steering position, cabin, flybridge, etc. Use with 130RC, 200RC, 146SL, 155SL & 255SL searchlights.

| ORDER NO. | PRICE |
|---------------|----------|
| ITT 436700004 | \$259.80 |



Replacement Bulbs

| ORDER NO. | DIA | LIGHT | VOLT | WATTS | CANDLE POWER X1000 | PRICE |
|---------------|-----|-------|------|---------|--------------------|----------|
| ITT 672960000 | 5" | 62026 | 12 | 100 | 100/50 | \$58.79 |
| ITT 672620000 | 7" | 62040 | 12 | 100/100 | 270 | \$104.01 |



6" (150RC) Remote Control Searchlight

Features:

- Single lever or touch-pad control for vertical and horizontal light movement
- 2-speed light movement
- Auto-sweep mode
- Automatic SOS feature
- Chrome brass base
- Two station operation optional with use of dual station kit
- Two types of light output:
 - Spot/flood sealed beam bulb, 200,000/50,000 candlepower
 - Spot beam high intensity discharge bulb, 600,000 candlepower
- Voltage 12 volts



| ORDER NO. | PRICE |
|---------------|----------|
| ITT 630220012 | \$689.14 |

JABSCO **135SL Remote Control Searchlight**

Easy-fit black control is designed to complement instrument panels or fit in any location aboard. It is fitted with a fused On/Off switch and 4-way directional switch. Complete with 15' cable. Tough weather and corrosion resistant white thermoplastic construction houses a sealed-beam halogen bulb that produces dusk-to-dawn piercing light, through 320° rotation and 75° vertical sweep. An integrally molded clutch design allows the light to be operated against limit stops, without damage.



Replacement Base

| ORDER NO. | PRICE |
|---------------|---------|
| ITT 600271000 | \$16.96 |

Replacement Control

| ORDER NO. | PRICE |
|---------------|----------|
| ITT 600300000 | \$116.72 |

Replacement Bulb

| ORDER NO | VOLT DC | WATT | AMPS | CANDLEPOWER | PRICE |
|---------------|---------|------|------|-------------|---------|
| ITT 187530178 | 12 | 50 | 3.6 | 100,000 | \$45.72 |

JABSCO **146SL Remote Control Searchlight**

A New Generation mid-size searchlight. Sleekly styled and ruggedly constructed! And the 146 SL gives more on-target light.

The 146-SL's sealed-beam halogen bulb with a 15 Lux value, and 175,000 candlepower, produces the dusk-to-dawn piercing light that enables boaters to expand their recreational day. Searchlight housing is a modern sea-going tough weather and corrosion resistant thermoplastic. 360° rotation, 60° vertical sweep.



| ORDER NO. | PRICE |
|---------------|----------|
| ITT 600800012 | \$589.39 |

JABSCO **233SL Dual Beam Searchlight 12VDC**

The 233SL Dual Beam Searchlight is a one-of-a-kind searchlight that is impressive from all angles. The 233SL sports a clean, modern look with a multitude of new features never seen before in a searchlight of this size and price range.

| ORDER NO. | PRICE |
|---------------|-----------|
| ITT 602330012 | \$1634.24 |

- Powerful dual beam halogen bulb gives 200,000 candle power
- Focus mechanism delivers true Spot/Flood capability
- Wireless searchlight control system allowing up to 4 easy-to install control stations
- Infinite motion capabilities due to 8-way touch pad directional control
- Rugged anodized & painted aluminum housing for total corrosion resistance

- Continuous rotation capabilities while eliminating slip ring corrosion
- 27 degree vertical elevation capabilities
- Sweep feature giving accurate and constant +/- 10 degree from starting location
- Fast and Slow speed capabilities
- Patent protected easy to install bayonet base with security locking mechanism.



ACR **RCL-75 Searchlight – 180,000 Candela Remote Controlled Searchlight**

- Surface Mount or Flush Mount Remote
- Dual lamp design provides redundancy
- Bright, powerful halogen beam with 3" H x 5" W beam spread
- Easy-to-install Point Pad™- style joystick control
- 17' cable with moisture protecting "boot" connector to RC
- Water tight connector to search light
- Power leads (+/-) tin-plated for corrosion resistance

- Electronics located in water-resistant light head
- 45° down pitch ocular design provides enhanced visibility when docking
- 18° up pitch to illuminate draw bridge towers, etc.
- Desiccated filter dries air; protects reflector and light assembly
- Innovative "direct drive" system eliminates uncontrolled light movement in choppy conditions

Color: White, UV protected
 Operation: Remote-controlled
 Beam Angle: ~3°
 Elevation Angle: 63° vertical (18° up, 45° down)
 Rotation: 361°
 Rotation Speed: 1 revolution per 20 seconds

Elevation Speed: Full travel, top to bottom, in 10 seconds
 Dual Lamps: High intensity 55 watt halogen, 2 each
 Limited Warranty: 1 year
 Size: 8.75" H x 7.5" W x 7.5 D"
 12 volt

| ORDER NO. | DESCRIPTION | PRICE |
|-----------|---------------------------|----------|
| ACR 1946 | Searchlight | \$445.00 |
| ACR 9403 | Replacement Bulb Assembly | \$32.00 |



JABSCO **155SL RC Searchlight**

Sweeping curves complement the latest pleasure craft profiles. Fingertip control of the watertight halogen sealed beam will pick out hazards nearly 900' away.

- 12 volt DC, fuse 10 amp
- Constructed of tough thermoplastic housing and base, non-corrosive materials
- Easily replaceable 5" (130mm) halogen sealed beam delivers 100,000 candlepower

- 1 lux at 885' (268 meters)
- Sealed beam halogen lamp
- Full 320° horizontal rotation, 75° vertical sweep
- Remote control and 15' cable included
- Complete with joystick remote control

| ORDER NO. | PRICE |
|---------------|----------|
| ITT 610500012 | \$284.59 |





RCL-100D Searchlight

- Internal elevation mechanism provides pitch control of spotlight beam while protecting mechanism from the weather
- Finger-tip remote control Point-Pad™; up to six remote Point-Pad™ units may be installed on system
- Salt water resistant construction
- Hyper-intense 200,000 candela to cut the darkness and penetrate the weather
- Housing rotates a full 360° allowing full-circumference illumination with 2-speed sweep
- Lamp: Twin 55-watt high-intensity Halogen lamps with parabolic reflectors for concentrated fixed-focus beam
- Size: 8.0" x 9.0" x 8.0"

| ORDER NO. | PRICE |
|-----------|-----------|
| ACR 1930 | \$2090.00 |

GUEST M-100 Halogen Spotlight

This 100,000 candlepower halogen sealed beam spotlight from Guest provides the ultimate combination of sleek, contemporary styling and exceptional performance. The corrosion-proof, sealed housing is constructed of impact-resistant, UV-stabilized ABS. Direct the powerful beam up to 360° rotation, a precise 80° vertical sweep, and continuous multi-directional horizontal sweep using the simple-to-operate hard wired control panel.



Secondary Control Station

A dual remote control station can be installed with the addition of two parts: a Dual Station Kit (#22219) and an additional wiring cable (#22009-#22012). Special order.

Halogen Spotlight Kit

Includes spotlight, joystick control panel, all mounting hardware. 15' wiring harness.

| ORDER NO. | DESCRIPTION | PRICE |
|--------------|------------------|----------|
| GST 22200 | M-100 Spotlight | \$451.36 |
| GST 22011MAP | 25' Wiring Cable | \$132.75 |

GUEST 5" Remote Control Combination Spotlight/Flood-Light

Constructed of stainless steel for long-lasting good looks, the stainless steel is more durable than zinc-based lights. The spotlight/floodlight combination is suitable for boats up to 40' where a forward flood light is needed in addition to a spotlight. An optional dual station can be installed. The spotlight kit comes with a cable set (15') and joystick control, 22240.

Features:

- 350° horizontal sweep and 70° vertical movement
- Light beam, can be directed manually without harm to the motor
- A single switch controls spot or flood
- Built-in clutch for added protection



| ORDER NO. | DESCRIPTION | PRICE |
|--------------|-------------|----------|
| GST 22040A | Light Kit | \$707.50 |
| GST 22011MAP | 25' Cable | \$132.75 |

optronics

RC-550M 500,000 cp. Sealed Beam Remote Control Spotlight

- 10-foot Corded Remote - Rotate light horizontally and vertically at the touch of a button. Mount remote conveniently using hook and loop tape provided
- Cold Cathode Area Light - Bright, low amp draw bulb lights up immediate area
- Suction Mount - Mount light securely in seconds; remove just as quickly to stow
- Stainless Hardware and Tinned Marine Wire
- White Housing



| ORDER NO. | PRICE |
|------------|----------|
| OPT RC550M | \$130.80 |

GUEST

Beamer™ Remote Control Spotlights

- Halogen beam
- Twice as bright as other national brands claiming 1 MILLION candlepower
- 355° horizontal rotation
- 40° upward adjustment angle
- 35° downward adjustment angle
- Waterproof bullet connectors at light base and controls for ease of installation
- Improved gaskets and sealing for years of reliable use
- Fortified "neck" bracing to resist damage due to side impact
- Heavy Conformal coating to protect sensitive electronic circuitry against the marine environment
- All units are able to be retrofitted to existing Beamer spotlight controls



NOTE: New Beamers have a wider footprint than the old style and will not fit mounting holes. The wider footprint does allow covering old holes with the new base.

| ORDER NO. | DESCRIPTION | PRICE |
|-----------|-------------------------------------|----------|
| GST 500 | Spotlight w/ Single-wire remote | \$748.08 |
| GST 503 | Spot/ Floodlight w/ Console Control | \$643.51 |

optronics

Blue Eye Beam® Saltwater/Marine Glarefree Spotlight

- Patented Blue Eye Beam® glarefree lens penetrates fog, smoke, rain, and haze
- Powerful 400,000 candlepower shines for miles
- Corrosion-resistant hardware will last under saltwater conditions
- Weather-proof enclosed switch keeps out water/corrosion
- 10' coil cord gives added mobility
- Made in the USA



| ORDER NO. | PRICE |
|------------|---------|
| OPT KB4001 | \$64.65 |

optronics Rechargeable Spotlight

- Cordless Rechargeable Spotlight with intense spot beam
- Rechargeable internal battery/powerful quartz halogen bulb
- 110-volt & 12-volt charging cords
- Gray housing with adjustable stand
- Ergonomic carrying handle and nylon shoulder strap



| ORDER NO. | DESCRIPTION | PRICE |
|-----------|--------------|---------|
| OPT GR500 | 5 Million CP | \$46.17 |

optronics GR-100W 1,000,000 CP Rechargeable Spotlight

- 55-watt quartz halogen bulb. 6-volt 4 amp battery. White housing.
- Halogen technology for maximized beam power and distance
 - 110-volt and 12-volt chargers included
 - Great for camping, marine or emergency use



| ORDER NO. | PRICE |
|------------|---------|
| OPT GR100W | \$27.69 |

optronics NightBlaster® QH-101

- Quartz halogen
- 1,000,000 candlepower, trigger switch and 10' coil cord



| ORDER NO. | COLOR | PRICE |
|-----------|-------|---------|
| OPT QH101 | White | \$25.53 |

optronics NightBlaster® QH-3001

3,000,000 Candlepower - 12-volt handheld Spotlight. Marine glare reduction lens. 130-watt quartz halogen. Removable 10-ft. coil cord with handy storage compartment. Trigger switch. White housing.



| ORDER NO. | PRICE |
|------------|---------|
| OPT QH3001 | \$34.74 |

optronics NightBlaster® QR-2001

2,000,000 cp. Glare-Resistant Rechargeable Spotlight. 100-watt quartz halogen bulb. Internal 12-volt battery includes both 12-volt quick charge and 110-volt chargers. Operates from either internal battery or 12-volt external cord.



| ORDER NO. | PRICE |
|------------|---------|
| OPT QR2001 | \$55.41 |

optronics NightBlaster® QR-1001

1,000,000 cp. Rechargeable Spotlight. 55-watt quartz halogen bulb. Internal 12-volt battery includes both 12-volt charge and 110-volt chargers. Operates from either internal battery or 12-volt external cord.



| ORDER NO. | PRICE |
|------------|---------|
| OPT QR1001 | \$42.87 |

optronics NightBlaster LSR-601 6W LED Rechargeable Spotlight

- Two 3-watt Luxeon* LEDs produce 150 lumen bright white beam
- Illuminates reflective surface at 800 yards
- High/Low Settings: Single LED ideal for 100-yard range, use both for longer range beam
- 3-hour run time on a single charge (using one LED)
- Lightweight design with non-slip rubber finish
- Sealed, water-resistant floats
- Rechargeable NiCd battery pack; 110-volt and 12-volt chargers
- Grey housing, black trim



| ORDER NO. | PRICE |
|------------|---------|
| OPT LSR601 | \$79.77 |



Vaportight Incandescent Fixture

This new non-metallic, vaportight incandescent fixture offers long life and trouble-free lighting in wet locations in marinas and on boats.

Features:

- UV resistant, gray, glass filled thermoplastic polyester box, mounting adapters and globe guards resists abuse and harmful effects of the elements
- Excellent temperature operating range of -40°F, -40°C to +150°C for use in areas with wide temperature variations or extreme ambient temperatures
- High temperature silicone gasketing maintains integrity and molded threads for ease of installation/removal
- Heat resistant glass globe withstands thermal shock in wet locations and has thread type mounting to assure weathertight sealing
- Accommodates Type A incandescent lamps up to 150 watts
- U.L. listed including UL1571 (incandescent fixtures and fixture fittings) and UL 595 (marine-type miscellaneous fixtures)



| ORDER NO. | PRICE |
|--------------|----------|
| HUB NVX15GHG | \$133.66 |



Interior and Compartment Light

Compartment light or general illumination usage. Perfect step light, courtesy light, Lustrous chrome-plating over tough, molded ABS housing. Compact size (3-3/4" x 2-1/4")



| ORDER NO. | PRICE |
|-----------|--------|
| AND E126C | \$7.15 |




Courtesy Light

For illuminating companionways, cockpits, and other areas where low-level lighting is needed. 12-volt D.C., 2 CP (#194) automotive-type bulb included. Overall dimensions: 3-7/16" L x 1-13/16" H x 1-1/16" D.



| ORDER NO. | PRICE |
|-----------|---------|
| ATT 63143 | \$14.37 |



Utility Light

White nylon with 12 volt lamp. For instruments, charts or general fair illumination. Size: 1-3/8" x 5/8".

| ORDER NO. | PRICE |
|----------------|--------|
| PER 0140DP0NYN | \$9.85 |



Bulkhead Fixture

Die cast zinc alloy chromium-plated. Medium screw socket turn switch.

| ORDER NO. | PRICE |
|----------------|---------|
| PER 0217DP0CHR | \$22.87 |



| Size | |
|-------------|------------|
| Base | Projection |
| Inches | Inches |
| 2-1/2x1-3/4 | 2-5/8 |



**Interior / Courtesy Lighting
LED Lights Stainless Steel**

The Attwood L6300 Series LED lighting system represents state-of-the-art design guided by convenience, durability and efficiency. The transition to LED technology virtually eliminates the maintenance associated with typical halogen/xenon interior lighting. Rated for 50,000+ hours of use, and protected by a 10-year warranty. While offering a low maintenance solution to traditional marine lighting, the L6300 Series lights reach a new level of safety for consumers. By reducing surface heat by nearly 100° F over traditional halogen lighting, our lights eliminate the safety hazard that can occur if lights are left on for an extended period or are placed under or near low-lying cabinetry.

| ORDER NO. | DESCRIPTION | PRICE |
|-------------|-----------------|----------|
| ATT 6340SS7 | 4" Interior | \$128.15 |
| ATT 6341SS7 | 2-3/4" Interior | \$77.93 |
| ATT 6342SS7 | 1-1/2" courtesy | \$33.17 |



Utility Light

Injection-molded Delrin. Outside dia. 2-3/16".

| ORDER NO. | COLOR | PRICE |
|-------------|-------|--------|
| SDG 4013101 | Black | \$5.45 |
| SDG 4013111 | White | \$5.50 |



**Small Halogen
Overhead Light**

Stamped 304 Stainless Mounting Plate. Stylish screw mount design compliments any interior. Excellent light dispersion and brightness is ideal for all accent lighting in cabins, walkways, interior compartments and cockpit lighting. Clear lens. Recessed to provide sleek appearance.

| ORDER NO. | MOUNT SIZE | PRICE |
|-------------|-------------------------|---------|
| SDG 4042313 | 2-9/16 OD x 1-13/16" ID | \$26.75 |



INNOVATIVE LIGHTING inc. **4-LED Courtesy Surface Mount Lights**

- 9-16 Volt
 - Rated @ 200,000 Hours of Service Life
 - Shock and Vibration Proof
 - Cool to the Touch
 - Energy Draw 26 Milliamps
 - No Corrosion
 - Potted to Seal Out Moisture
 - 4 LEDs
- Dimensions:
1.57" L x .82" W x .57" D



| ORDER NO. | DESCRIPTION | PRICE |
|--------------|--------------------------|---------|
| INN 00441007 | Red Light w/White Case | \$11.99 |
| INN 00451007 | White Light w/White Case | \$16.99 |

INNOVATIVE LIGHTING inc. **LED Compartment Light**

- 12 Volt
 - 6 LED Configuration
 - Draws 60 Milliamps
 - Rated at 50,000 hours of Service life
 - Shock and Vibration Proof
 - Built-In Push Lens for On/Off Position
 - Can be Mounted Surface or Flush Mount (bezel can be removed)
 - Two Hole Mount
 - UV Resistant Materials
 - Two 6" Wire Leads
 - Flange Depth .250
- Note: Interior Use Only
Dimensions:
5.50" L x 3.63" W x 1.25" D



| ORDER NO. | DESCRIPTION | PRICE |
|--------------|--------------------------|---------|
| INN 06151007 | White Light w/White Case | \$23.99 |

INNOVATIVE LIGHTING inc. **LED Compartment Surface Mount Light**

- 9-16 Volt DC
 - Rated @ 100,000 Hours of Service Life
 - Shock and Vibration Proof
 - Cool to the Touch
 - Energy Draw 50 Milliamps
 - No Corrosion
 - 2 LEDs
 - Comes With Chrome Trim Ring
- Dimensions:
2.60" L x 1.90" W x .66" D (w/o trim ring)



| ORDER NO. | DESCRIPTION | PRICE |
|--------------|--------------------------------|---------|
| INN 20055037 | White Light w/Chrome Trim Ring | \$21.99 |

INNOVATIVE LIGHTING inc. **3-LED Step Surface Mount Lights**

- 9-16 Volt
 - Rated @ 200,000 Hours of Service Life
 - Shock and Vibration Proof
 - Cool to the Touch
 - Energy Draw 26 Milliamps
 - No Corrosion
 - Potted to Seal Out Moisture
 - 3 LEDs
- Dimensions:
1.71" L x .65" W x .40" D



| ORDER NO. | DESCRIPTION | PRICE |
|--------------|--------------------------|---------|
| INN 00341007 | Red Light w/White Case | \$10.99 |
| INN 00351007 | White Light w/White Case | \$15.99 |

INNOVATIVE LIGHTING inc. **Deck / Dock / Walkway LED Lighting Kit**

- 12 Volt DC
 - Ideal For Illuminating Deck, Docks, and Walkways
 - Low Cost Insurance For Lighted Pathways
- Kit Includes:
- 1 AC/DC Transformer w/60 Ft. of Attached Wire
 - 1 UL-Listed Junction Box
 - 4 3-White LED Step Lights
 - 12 White LED Accent Lights
 - 32 Stainless Steel Screws
 - 34 Wire Snap Quick Connects
 - 40 Insulated Staples



| ORDER NO. | PRICE |
|--------------|----------|
| INN 09050004 | \$143.99 |

INNOVATIVE LIGHTING inc. **6" Round Dome Surface Mount Fluorescent Light**

- 12 Volt DC
- 13 Watt Fluorescent Round Lamp
- .52 Amp Draw
- 6000 Hours of Service Lamp Life
- Built-in On/Off Rocker Switch
- Non-Corrosive Aluminum Base
- Non-Yellowing Acrylic Clear Lens
- 7" Bare Wire Leads
- U/L Listed
- Mounting Hardware Included
- Separate Models available for Brass, Chrome, or White Decorative Finish

Note: Interior Use Only
Dimensions:
6.00" L x 6.00" W x 1.00" D



| ORDER NO. | DESCRIPTION | PRICE |
|--------------|---------------------------------|---------|
| INN 07052007 | Flourescent Light w/Chrome Ring | \$29.99 |

SEADOGLINE

Led Strip Light

Plastic
LED Strip Lights have 6 LED's in each light and are rated at 12 VDC. Low amp draw.
3-15/16" Long x 3/4" Wide x 15/16" Deep



| ORDER NO. | DESCRIPTION | PRICE |
|-------------|-------------|---------|
| SDG 4014501 | White | \$13.10 |
| SDG 4014511 | Blue | \$12.80 |

INNOVATIVE LIGHTING inc. **Flex-N-Lite LED Lighting Strip**

- 24" Long
- Operates 9-16 Volt DC Systems
 - Rated @ 100,000 Hours of Service Life
 - Cool to the Touch
 - Flexible Circuit Board
 - Self Adhesive Tape Backing
 - Includes 16 inch Power Cord
 - For Indoor or Outdoor Use
 - 39 LEDs



| ORDER NO. | PRICE |
|--------------|---------|
| INN 01750007 | \$59.99 |

PERKO

Fixed Spreader Light

- Complete with 12 volt, 10 watt bulb
- Chrome-plated bronze



| ORDER NO. | O.D. INCHES | DEPTH INCHES | PRICE |
|----------------|-------------|--------------|---------|
| PER 0265DP0CHR | 2-3/4 | 1-3/8 | \$54.00 |

PERKO

Utility Light

- Easily installed by cutting a 1-3/4" diameter hole.
- Molded plastic – black or white
- Complete with 12 volt, 3 watt bulb
- Dimensions: 2-1/4" x 2-1/4"
- 15/16" deep



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|---------------------------|---------|
| PER 1044DP1BLK | Utility Light Black | \$10.61 |
| PER 1044DP1WHT | Utility Light White | \$10.61 |
| PER 1044DP099A | Bulb F/1044 12V-3W (CD-2) | \$15.21 |

PERKO

Clear Back Utility Light

- Chrome Plated Brass
 - Clear Plastic Back
 - 12 Volt Bulb Included,
 - Installs In A 2-1/8" Diameter Hole
- The clear back allows light to shine both inside and outside of the mounting location. Ideal for mounting on center consoles, storage lockers, cabinets and electronics boxes.
3" O.D. 1" Depth.



| ORDER NO. | PRICE |
|----------------|---------|
| PER 1149DP112V | \$66.32 |

TACO

NEW



LED Rechargeable 12V Work Light

- Vibration & shock & water resistant
- Convenient & safe cordless operation
- Rechargeable Ni-Mh battery
- Operates 3+ hours on a single charge
- Includes AC/DC charger & lighter adapter
- 60 LEDs provide high output, low glare light
- Attractive & rugged blue sure-grip housing
- Swivel stainless steel hook for hands-free operation
- Ideal for use in engine compartments, hatches, T-Tops, towers, and other outdoor applications

| ORDER NO. | PRICE |
|--------------|---------|
| TAC F3825001 | \$61.82 |

SEADOGLINE

Utility light

- Stamped brass
- Chrome-plated



| LENGTH | WIDTH | LENS COLOR |
|--------|---------|------------|
| 2-1/2" | 1-3/16" | White |

| ORDER NO. | PRICE |
|-------------|--------|
| SDG 4011511 | \$6.75 |

PERKO Surface Mount Dome Light

Chrome-plated zinc.



| ORDER NO. | GLOBE INCHES | O. D. BASE INCHES | DEPTH OVERALL INCHES | PRICE |
|----------------|--------------|-------------------|----------------------|---------|
| PER 0300DP0CHR | 3 | 3-3/4 | 1-1/2 | \$43.43 |
| PER 0300DP1CHR | 4 | 5 | 1-7/8 | \$47.61 |
| PER 0300DP2CHR | 5 | 6 | 2 | \$55.85 |



Clamp-On Aluminum LED Light Assemblies

These LED lights are designed to clamp on to a boats T-top. High efficiency light strips are housed in a bright silver aluminum housing and are waterproof (not to be submerged) The LED lights offer low power consumption, low glare and long life. Dimensions: 20" x 1"



| ORDER NO. | DESCRIPTION | PRICE |
|------------|-----------------------------|----------|
| TGR 88980 | Day Light White | \$189.95 |
| TGR 88982 | Daylight White/Night Vision | \$209.95 |
| TGR 889821 | Blue | \$189.95 |

briter INNOVATIONS

NEW



Illuminator LED Striplight

- High output, low power consumption LED strip type of light in a marine casing, sealed from the harsh marine environment.
- These powerful lights provide just the right amount of diffused light.
- Multiple strips can be powered off the same circuit due to the very low amp draw.
- These strip lights will add ambiance and the perfect effect to any craft big or small.
- The illuminator is 2' long.

| ORDER NO. | COLOR | PRICE |
|-------------|-------|---------|
| BRI ILLJRBL | Blue | \$29.95 |
| BRI ILLJRWH | White | \$29.95 |

SEADOGLINE

Led Dome Light

5" LED Dome Light has 20 white LED's per light and is equivalent to a 15 watt incandescent bulb.



| ORDER NO. | DESCRIPTION | PRICE |
|-------------|-----------------|---------|
| SDG 4002081 | Brass | \$86.70 |
| SDG 4002031 | Stainless Steel | \$70.70 |

SEADOGLINE

Stainless Dome Light

Each dome light has a polished stainless steel housing and trim ring and a solid glass lens. Each light is prewired with an on/off switch. Model 400200 has a 12 volt 15 watt DC double contact bayonet bulb. Model 400210 has a 12 volt 10 watt DC festoon cap bulb.



| ORDER NO. | LENS | O.D. BASE | PRICE |
|-------------|------|-----------|---------|
| SDG 4002001 | 5" | 6-3/4" | \$27.20 |
| SDG 4002101 | 3" | 4-3/8" | \$17.20 |

PERKO^{INC.}



Bulkhead Fixture Molded Plastic, Black Medium Screw Socket

Will accommodate bulbs up to 40 watts. Bulb not included.

| Wall Plate | Projection | Shade |
|-----------------|------------|--------|
| 4-1/2" x 3-1/4" | 5" | 4-1/2" |

| ORDER NO. | PRICE |
|----------------|---------|
| PER 1303002BLK | \$35.51 |

PERKO^{INC.}



Reduced Glare Cockpit Light

Chrome-plated brass with black plastic base. Ten watt lamp. Vertical flush mount. Designed to direct 80% of the light in a downward direction, reducing cockpit glare. Mounts in a 2-1/8" diameter hole. 12 volts.

| ORDER NO. | O.D. | DEPTH | PRICE |
|----------------|------|-------|---------|
| PER 1146DP112V | 3" | 1" | \$62.32 |

SEADOGLINE

LED Berth Light

Plastic
Each LED Berth Light has a MR-16 style LED bulb
Overall Height = 4-13/16"



| ORDER NO. | FINISH | PRICE |
|-------------|--------|---------|
| SDG 4008251 | Chrome | \$57.45 |
| SDG 4008271 | White | \$41.25 |



PERKO^{INC.}

Exterior Dome Light

Double contact bayonet socket. Push switch with Water-resistant boot Complete with 12 volt bulb. Ivory Perko-Kote powder coating. Black vinyl mounting gasket.

| ORDER NO. | GLOBE | O.D. BASE | PRICE |
|----------------|-------|-----------|---------|
| PER 1253DP1WHT | 4" | 5" | \$47.64 |
| PER 1253DP2WHT | 5" | 6" | 55.84 |



FULTON
FULTON INDUSTRIES INC.

Flashlight

Floating Flashlight. Rugged. heavy-duty waterproof floating flashlight in International Orange. Magna-Beam reflector gives broad, diffused pattern. Can't corrode – unaffected by oil, grease, gasoline, water.

| ORDER NO. | PRICE |
|-----------|---------|
| FLT 93SK | \$14.40 |

SEADOGLINE

Halogen Swivel Light Powder Coated Aluminum

Made of aluminum, powder coated white for durability and is wired with a rocker switch. Uses MR-16 Style 12 volt, 10 watt DC halogen bulb.



| ORDER NO. | PRICE |
|-------------|---------|
| SDG 4005271 | \$19.95 |

GUEST

Adjustable Cockpit Floodlight

A small size with big illumination makes this an ideal way to shed some light on your cockpit. Only 2-3/4" dia. This fixture can be mounted easily on exterior bulkhead or under hardtop. Adjustable, with miniature sealed beam bulb, molded in tough polycarbonate for durability. Color: white.



| ORDER NO. | PRICE |
|-----------|---------|
| GST 412 | \$88.06 |

Navigation Sidelights

SEADOGLINE LED Top Mount Navigation Lights

Stamped 304 Stainless LED Navigation Lights are approved for USCG 2 NM



| ORDER NO. | PRICE |
|-------------|---------|
| SDG 4000351 | \$89.25 |

SEADOGLINE LED Navigation Lights

LED Navigation Lights are approved for USCG 2 NM. Note: One pair includes one starboard (green) and one port (red) light.



| ORDER NO. | PRICE |
|-------------|---------|
| SDG 4000711 | \$59.75 |

SEADOGLINE Stainless Steel Top Mount Side Lights



| ORDER NO. | ARC | LIGHT DIA. | HEIGHT | PRICE |
|-------------|------------------|------------|--------|---------|
| SDG 4001651 | 10 PTS | 2-1/4" | 1-3/8" | \$31.70 |
| SDG 4001611 | Replacement Lens | | | \$6.95 |

SEADOGLINE Stainless Steel Flush Mount Side Lights



| ORDER NO. | ARC | SIZE | PRICE |
|-------------|------------------|---------------|---------|
| SDG 4001801 | 10 PTS | 7-3/4"x2-3/8" | \$49.25 |
| SDG 4001811 | Replacement Lens | | \$6.95 |

NOTE: Lights have not been tested to International Standards.

SEADOGLINE Stainless Steel Side Lights



| ORDER NO. | ARC | SIZE | PRICE |
|-------------|------------------|------------------|---------|
| SDG 4001701 | 10 PTS | 4"x2-1/2"x1-1/2" | \$29.60 |
| SDG 4001611 | Replacement Lens | | \$6.95 |

SEADOGLINE Stainless Steel Side Mount Side Lights



| ORDER NO. | ARC | LIGHT DIA. | HEIGHT | PRICE |
|-------------|------------------|------------|--------|---------|
| SDG 4001601 | 10 PTS | 2-1/4" | 1-3/8" | \$23.85 |
| SDG 4001611 | Replacement Lens | | | \$6.95 |

attwood Bi-Color Combination Sidelight

genuine ingenuity

Horizontal Deck Mount— for use on boats up to 65.6 ft. (20 meters). Two-mile, 225° light visibility.

- Smooth contour prevents lines from snagging on housing
- Lens resin color (red/green) tuned to maximum sensitivity of the human eye for optimum visibility
- Single external stainless steel lock screw attaches cover to base, permits easy disassembly for servicing
- Stainless steel electrical contacts will not corrode
- Attaches directly to deck with concealed #10 fasteners—or to one of the Sidelight Snap-On Bases 3300 Series
- 7" hard wire leads for connection to 12 VDC power supply
- Includes 8-watt festoon bulb
- White base



| ORDER NO. | PRICE |
|-----------|---------|
| ATT 31217 | \$22.68 |

attwood Mini Sidelights (Red and Green) Zamak with Perma-Plate Finish

genuine ingenuity

One mile sidelights for powerboats under 12 meters (39.4 feet). Meets ABYC Standard A-16. 12 VDC, 6 CP (#90) lamp included. Base is predrilled with two countersunk holes to accommodate #10 screws.

- Size: 2-1/2" H x 3" L x 2-5/8" base width
- 6358 – Horizontal mount sidelights
- 6359 – Vertical mount sidelights
- Each light provides one mile 112.5° light visibility

| ORDER NO. | LENS COLOR | PRICE |
|------------|------------|---------|
| ATT 6358G7 | Green | \$37.56 |
| ATT 6358R7 | Red | \$37.56 |
| ATT 6359G7 | Green | \$37.56 |
| ATT 6359R7 | Red | \$37.56 |



attwood Side Mount Sidelights (Red and Green) – Stainless Steel

genuine ingenuity

Completely watertight: the polycarbonate lens encases the bulb and socket assembly and a gasket between the lens and base provides additional protection. Includes one 7.5 watt lamp.

- 3-15/16" L x 2-1/4" W x 1-1/2" H
- Installation hole size: 3/4" diameter
- Three holes for #6 fasteners
- Each light provides one mile 112.5° light visibility



| ORDER NO. | LENS COLOR | PRICE |
|-------------|------------|---------|
| ATT 66314G7 | Green | \$40.30 |
| ATT 66314R7 | Red | \$40.30 |

attwood Top Mount Sidelights (Red and Green) – Stainless Steel

genuine ingenuity

New designed is internationally approved for boats up to 39.4' (12 meters).

- Includes one 8 watt lamp.
- Three holes for #6 fasteners.
- 1-1/2" high x 2-1/2" long x 2-1/4" wide (at base).



| ORDER NO. | LENS COLOR | PRICE |
|-------------|------------|---------|
| ATT 66319G7 | Green | \$33.65 |
| ATT 66319R7 | Red | \$33.65 |

Navigation Sidelights

PERKO^{INC.}

Stealth Series – L.E.D. Vertical Mount Side Light

For use on power vessels under 39.4' in length

1 mile visibility 12 Volt
 Stainless Steel Length: 2-1/2"
 Horizontal Mount Width: 2-5/8"
 Height 1/2"



| ORDER NO. | PRICE |
|----------------|----------|
| PER 0617DP0STS | \$147.27 |

PERKO^{INC.}

Stealth Series – L.E.D Horizontal Mount Side Lights

For use on power vessels under 39.4' in length

1 mile visibility 12 Volt
 Stainless Steel Length: 2-1/2"
 Horizontal Mount Width: 2-5/8"
 Height 1/2"



| ORDER NO. | PRICE |
|----------------|----------|
| PER 0616DP0STS | \$174.13 |



242277 Deck Mount lights

Port/Starboard Deck Mount Lights (pair). Meets USCG (A-16) requirements for 1 mile visibility for vessels up to 39'. Features Tell Tale indicator light that gives the operator a visual indication of the light status. Stainless Steel cover provides excellent resistance to corrosion. 2 1/4" O.D x 1 5/8" H. Replacement bulb 12V/10W PN 90022-7

242287 Side Mount Lights

Port/Starboard Side Mount Lights (pair). Meets USCG (A-16) requirements for 2 mile visibility for vessels up to 65'. Features Tell Tale indicator light that gives the operator a visual indication of the light status. Stainless Steel cover provides excellent resistance to corrosion. 2 1/8" L x 2" W x 1 1/2" H. Replacement bulb 12V/10W PN 90022-7

| ORDER NO. | DESCRIPTION | PRICE |
|------------|-----------------|---------|
| AQS 242277 | Deck Mount (pr) | \$48.95 |
| AQS 242287 | Side Mount (pr) | \$48.95 |



Combination Light

Bi-Color Hideaway Deck Mount. Meets USCG (A-16) requirements for 2 mile visibility for vessels up to 65'. Features unique hide-away design that allows operator to "flip over" the light when not in use. Completely waterproof. Details installation instructions including "cut out" template included. 3 1/2" L x 2 5/8" W x 1" H x 2 1/8" D. Replacement bulb 12V/10W PN 90022-7

| ORDER NO. | PRICE |
|------------|----------|
| AQS 246007 | \$108.95 |



Bi-Color Light

BiColor Deck Mount Light Tear Drop style. Meets USCG (A-16) requirements for 2 mile visibility for vessels up to 65'. Features Tell Tale indicator light that gives the operator a visual indication of the light status. Stainless Steel cover provides excellent resistance to corrosion. 2-3/8" L x 2" W x 1-1/4" H. Replacement bulb 12V/10W PN 90022-7.

| ORDER NO. | PRICE |
|------------|---------|
| AQS 241057 | \$32.95 |



Side Mount Navigation Lights

For powerboats less than 39 ft. in length.

Rigid polycarbonate black housing, non-magnetic, seawater resistant. Visibility 1 nautical miles.

| ORDER NO. | DESCRIPTION | PRICE |
|------------|----------------|---------|
| AQS 202027 | Starboard Side | \$24.95 |
| AQS 203027 | Port Side | \$24.95 |
| AQS 903847 | Halogen Bulb | \$16.95 |



PERKO^{INC.}

Vertical Mount L.E.D. Side Lights



Construction Options:

- Chrome plated bronze
- White epoxy coated bronze
- Vertical mount
- Low profile – small size
- Certified for use on power driven vessels under 20m (65.6') in length

L.E.D. Features

- Uses 10% of the energy draw of standard lights
- Low heat
- Long life
- Water resistant
- 12 Volt

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-----------------------------------|----------|
| PER 0602DP1CHR | Chrome Plated Bronze Housing | \$186.58 |
| PER 0602DP1WHT | White Epoxy Coated Bronze Housing | \$186.63 |

PERKO^{INC.}

Side Lights

Certified with Fig. 71, 12 volt bulb. For mounting on deck or top of deck house.



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------|----------|
| PER 0963DP0CHR | Side Lights (pr) | \$104.11 |
| PER 0281DPALNS | Spare Lens Set | \$14.61 |
| PER 0071DP0CLR | Spare Bulb | \$11.87 |

| Height of Light | Diameter Base |
|-----------------|---------------|
| 1-5/8" | 2-3/8" |

PERKO^{INC.} **Side Lights**

Chrome-plated brass tops with black plastic bases. Horizontal surface mount.



| ORDER NO. | PRICE | Vertical Width | Height |
|----------------|----------|----------------|--------|
| PER 0915DP0CHR | \$129.58 | 2-3/8" | 7/8" |

PERKO^{INC.}

Brass – Perkoplate Chromium Plated Black Plastic Base Side Lights

10 Points – 112-1/2° Certified with Fig. 71, 12 volt bulb

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------|----------|
| PER 0955DP0CHR | Side Lights (pr) | \$109.66 |
| PER 0260DP0LNS | Spare Lens Set | \$14.61 |
| PER 0071DP0CLR | Spare Bulb | \$11.87 |

| Length | Width | Depth |
|--------|--------|--------|
| 4-1/4" | 2-3/8" | 1-3/4" |

PERKO^{INC.}

"Nautic" Streamline Side Lights

- Zinc alloy – Polished chromium-plated
- Certified for use on power vessels under 12 meters (39.4 ft)
- Certified with Fig. 71, 12 volt bulb supplied with light

| ORDER NO. | PRICE | Length Overall | Height Overall |
|----------------|---------|----------------|----------------|
| PER 1264DP0CHR | \$84.05 | 5-1/2" | 3-1/8" |





Navigation Lights Series 41



| ORDER NO. | TYPE 12V HOUSING BLACK | |
|------------|------------------------|---------|
| | | PRICE |
| AQS 412007 | Starboard, 25W | \$62.95 |
| AQS 413007 | Port, 25W | \$62.95 |
| AQS 411007 | Bicolor, 25W | \$62.95 |
| AQS 414007 | Masthead, 25W | \$62.95 |
| AQS 415007 | Stern, 10W | \$62.95 |

| SPARE BULBS | | |
|-------------|-------------|---------|
| ORDER NO. | DESCRIPTION | PRICE |
| AQS 900027 | 12V/25W | \$22.95 |
| AQS 900057 | 12V/10W | \$22.95 |



Series 25 Navigation Lights



| ORDER NO. | TYPE 12V HOUSING BLACK | PRICE |
|------------|------------------------|---------|
| AQS 252007 | Starboard, 10W | \$25.95 |
| AQS 253007 | Port, 10W | \$25.95 |
| AQS 251007 | Bicolor, 10W | \$25.95 |
| AQS 254007 | Masthead, 10W | \$25.95 |
| AQS 255007 | Stern, 10W | \$25.95 |

| SPARE BULBS | | |
|-------------|--------------|---------|
| ORDER NO. | DESCRIPTION | PRICE |
| AQS 902007 | Festoon, 10W | \$11.95 |
| AQS 904707 | Halogen, 20W | \$14.95 |

attwood QUASAR™ Sidelights

Two mile, 225° light visibility. for use on boats up to 65.6 ft. (20 meters). Base attaches directly to deck. Cover and lens conceal installation fasteners. Single, external, stainless steel lock screw secures cover to base.

Bi-Color Combination, Deck Mount

- Chrome finish
- Compact size
- Footprint: 3" L x 2-1/4" W Height: 1-7/16"
- Includes waterproof mounting gasket

| ORDER NO. | PRICE |
|-----------|---------|
| ATT 31237 | \$26.23 |

Deck Mount

- Chrome finish
- Compact size
- Footprint: 3" L x 2-1/4" W; Height: 1-7/16"
- Includes waterproof mounting gasket
- Each light provides 112.5° light visibility

| ORDER NO. | LENS COLOR | PRICE |
|------------|------------|---------|
| ATT 3153G7 | Green | \$26.16 |
| ATT 3153R7 | Red | \$26.16 |



HELLA® Compact Navigation Lamps Model 3562

Seawater-proof and non-magnetic. Snap-lock housing allows bulbs to be changed without tools. Cables can be attached from the rear. For vessels less than 12 meters (39.4'). Black housing.

Light source/bulb: 1 12V 10W bulb
 Minimum visible distance: 1 Nautical Mile
 Dimensions: 3" H x 2-1/2" W x 2" D



| ORDER NO. | DESCRIPTION | PRICE |
|-----------|----------------|---------|
| HEL 62244 | Starboard Lamp | \$22.50 |
| HEL 62245 | Port Lamp | \$22.50 |

PERKO^{INC} Horizontal Mount Side Light

2 mile visibility. White or black plastic with ultrasonically welded lenses gasketed to the base. RED AND GREEN LENSES. For use on power-driven vessels only under 20 meters (65.6 ft.). 12 volt.



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|---------------------|---------|
| PER 0253B00DP1 | Light Black Plastic | \$65.85 |
| PER 0253W00DP1 | Light White Plastic | \$65.85 |
| PER 0273DPGLNS | Spare Lens Green | \$14.61 |
| PER 0273DPRLNS | Spare Lens Red | \$14.61 |
| PER 0071DP0CLR | Spare Bulb | \$11.87 |

| Length Inches | Width Inches | Height Inches |
|---------------|--------------|---------------|
| 3-1/2 | 2-1/4 | 1-5/8 |

attwood Micro-Mini Combination Sidelight

One mile combination sidelight for powerboats under 12 meters (39.4 feet). Meets ABYC Standard A-16. 12 VDC, 6 CP (#90) lamp included. Predrilled with two countersunk holes to accommodate #8 screws. Size: 1-3/8" high x 2-3/4" long x 2-1/2" base width. One mile 225° visibility.

| ORDER NO. | DESCRIPTION | PRICE |
|--------------|----------------------|---------|
| ATT 6375D6 | Light | \$23.54 |
| ATT 63752051 | Replacement Lens Set | \$6.58 |



attwood Combination Sidelight Zamak with Perma-Plate® Chrome Finish, Black Base

One-mile combination sidelight for powerboats under 12 meters (39.4 feet). Meets ABYC Standard A-16. 12-volt D.C., 6 CP (#90) lamp included. Size: 1-1/2" H x 3-3/8" L x 2-5/8" W. NMMA "As Approved List" No. 091120. Plastic and ZAMAK combination sidelight. Each light provides two mile 225° visibility.

| ORDER NO. | DESCRIPTION | PRICE |
|--------------|----------------------|---------|
| ATT 63837 | Light | \$26.91 |
| ATT 63752051 | Replacement Lens Set | \$6.58 |



attwood Stainless Steel Combination Light

Design meets 72 COLREG and is internationally approved for boats up to 39.4' (12 meters).

- Includes one 8 watt lamp
- Three holes for #6 fasteners
- 1-1/2" H x 2-1/2" L x 2-1/4" W (at base)



| ORDER NO. | PRICE |
|------------|---------|
| ATT 663187 | \$32.50 |

Combination Bi-Color Lights

PERKO Bi-Color Light

- For use on power driven vessels under 12 meters (39.4') in length
- 1 mile visibility
- Red and green lenses
- Complete with 12 volt bulb



| Base Inches | Height Inches |
|-------------|---------------|
| 4 x 3-1/8 | 1 |

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|--|---------|
| PER 1161DP0CHR | Chrome Plated Bronze Combination Light | \$82.95 |
| PER 1310DP0CHR | Chrome Plated Zinc Combination Light | \$44.74 |
| PER 0283DPALNS | Spare Lens Set | \$14.61 |
| PER 0071DP0CLR | Spare Bulb | \$11.87 |

PERKO

Chrome-Plated Brass Top with Black Plastic Base

- For power or sail vessels under 12 meters (39.4')
- 1 mile visibility
- Red and green lenses
- Complete with 12 volt bulb

| Length Inches | Width Inches | Height Inches |
|---------------|--------------|---------------|
| 4-1/4 | 2-1/8 | 7/8 |



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-------------------|---------|
| PER 0904DP0CHR | Combination Light | \$75.13 |
| PER 0296DP0LNS | Spare Lens Set | \$14.61 |
| PER 0071DP0CLR | Spare Bulb | \$11.87 |



Mini Combination Sidelight Zamak with Perma-Plate® Finish

One mile combination sidelight for powerboats under 12 meters (39.4 feet). Meets ABYC Standard A-16. 12 VDC, 6 CP (#90) lamp included. Base is predrilled with two countersunk holes to accommodate #10 screws.

- Size: 2-1/2" H x 3" L x 2-5/8" base width
- 6357-204 – Replacement lens, green
- 6357-203 – Replacement lens, red



| ORDER NO. | PRICE |
|------------|---------|
| ATT 6357D7 | \$43.48 |

PERKO Bi-Color Light

2 mile visibility. White or black plastic with ultrasonically welded lenses gasketed to the base. Red and green lenses. For use on power driven vessels only under 20 meters (65.6'). 12 volt. Spare bulb no. 71DPCLR.



| ORDER NO. | PRICE |
|----------------|---------|
| PER 0252WB0DP1 | \$32.66 |

| Finish | Length Inches | Width Inches | Height Inches |
|--------|---------------|--------------|---------------|
| White | 3-1/2 | 2-1/4 | 1-5/8 |

SEADOGLINE LED Combination Bow Light NEW

Stamped 304 Stainless LED Navigation Lights are approved for USCG 2 NM



| ORDER NO. | PRICE |
|-------------|---------|
| SDG 4000501 | \$71.50 |

SEADOGLINE

Stainless Steel Combination Bow Light

| ORDER NO. | ARC | LIGHT DIA. | HEIGHT | PRICE |
|-------------|------------------|------------|--------|---------|
| SDG 4001501 | 20 PTS | 2-1/4" | 1-3/8" | \$16.70 |
| SDG 4001511 | Replacement Lens | | | \$4.75 |



PERKO Stealth Series – L.E.D. Horizontal Mount Bi-Color Light

For use on power vessels under 39.4' in length
1 mile visibility
Stainless Steel
Horizontal Mount

12 Volt
Length: 2-1/2"
Width: 2-5/8"
Height 1/2"



| ORDER NO. | PRICE |
|----------------|---------|
| PER 0615DP0STS | \$89.96 |

PERKO Chrome-Plated Zinc with Flag Staff Socket

For use on power driven vessels under 12 meters (39.4').

| Base Inches | Height Inches | Socket Inches | I.D. Inches |
|-------------|---------------|---------------|-------------|
| 6-1/4 | 3-7/8 | 1-5/8 | 3/4 |



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-------------------|---------|
| PER 1218DP0CHR | Combination Light | \$56.73 |
| PER 0071DP0CLR | Spare Bulb | \$11.87 |

PERKO Chrome-Plated Brass Top with Black Plastic Base

Spare Bulbs (2 per bag). Cat. No. 71DPCLR.
Spare Lens Set (1-red & 1-green), Cat. No. 296DPLNS.
For power or sail vessels under 12 meters (39.4').

| Base Inches | Height Inches |
|-------------|---------------|
| 2-3/8 | 7/8 |

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-------------------|---------|
| PER 0972DP0CHR | Combination Light | \$56.05 |
| PER 0296DP0LNS | Spare Lens Set | \$14.61 |
| PER 0071DP0CLR | Spare Bulb | \$11.87 |



PERKO "Bullet" Bi-Color (Red/Green) Lights

- For power driven vessels under 20 Meters (65.6') in length
- Provides range of visibility twice that of requirements for vessels under 12 meters
- Easily mounted in a small space
- Zinc die cast top with black plastic base and snap-in bulb stand
- Available in black or chrome-plated
- 2 mile visibility
- Compact size, modern design & styling
- High quality construction
- For 12 volt systems
- Tin-plated electrical contacts and wiring
- Meets A.B.Y.C. standard A-16



| ORDER NO. | FINISH | PRICE |
|----------------|--------|---------|
| PER 0227DP0CHR | Chrome | \$39.06 |

SEADOGLINE Combination Bow Light

Die cast chrome zinc.



| ORDER NO. | PRICE |
|-------------|---------|
| SDG 4001551 | \$15.50 |

SEADOGLINE Combination Bow Light

Die cast chrome zinc.



| ORDER NO. | PRICE |
|-------------|---------|
| SDG 4001571 | \$15.75 |

Bi-Color Lights / Masthead Lights

PERKO^{INC.} Removeable Bi-Color Pole and Utility Lights

Removeable bi-color lights are ideal for boats with casting decks on the bow. Unlike conventional bi-color lights that can stand as high as 2' above the deck, removeable bi-color lights can be unplugged and stowed while fishing. This leaves only a small, flat topped base. Red and green lenses. 12 volt bulb included.

12" 2-Pin Pole Light

Certified for use on sail or power driven vessels under 12 meters (39.4 ft.) in length.

- Black plastic top
 - 3/4" diameter anodized aluminum tube
 - Requires 2-pin mounting base
- #PER 1045P00DP (sold separately)

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|----------------|---------|
| PER 1612DP2BLK | 12" Pole Light | \$37.10 |
| PER 1045P00DP | 2-Pin Base | \$33.18 |

Spare Parts

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-------------------------|---------|
| PER 0283DPALNS | Spare Lens | \$14.61 |
| PER 0071DP0CLR | Spare Bulbs (2 per Bag) | \$11.87 |

12" 3-Pin Pole Light

Certified for use on power driven vessels under 20 meters (65.6 ft.) in length.

- Black plastic top
- 3/4" diameter anodized aluminum tube
- Deck illuminating utility light
- Stow-a-way plug-in type pole
- Requires 3-pin mounting base (sold separately)

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-------------------|---------|
| PER 1421DP2CHR | 0° Pole Light | \$44.05 |
| PER 1422DP2CHR | 5° Pole Light | \$44.05 |
| PER 1045300DP | Round Base F/1421 | \$35.11 |
| PER 10603B0DP | 3-Pin Base F/1422 | \$35.53 |

Spare Parts

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-------------------------|---------|
| PER 0071DP0CLR | Spare Bulbs (2 per Bag) | \$11.87 |



5° rake

INNOVATIVE LIGHTING inc. Adjustable Height Plug-In Led Stern Light

- The two mile telescopic plug-in stern light can manually be adjusted from 2' to 6'
- Durable Stainless Steel Telescopic Pole
- Spring loaded locking cam prevents the pole light from walking out and or falling overboard when in use
- Base has a built-in voltage regulator that is fully potted and protects the LED in case of a voltage spike
- Rated at 50,000 hours of service life and draws only .165 milliamps, or 2 watts of energy
- Requires 1-3/4" hole
- USCG certified
- Comes with mounting base
- LED adjustable pole light and clips for stowing



| ORDER NO. | DESCRIPTION | PRICE |
|--------------|------------------------------------|---------|
| INN 51212007 | Chrome Rect. Base & Wedge | \$79.99 |
| INN 51212207 | Stainless Steel Round Base & Wedge | \$86.99 |

attwood genuine ingenuity Stowaway Combination Light

One-mile combination light for powerboats under 12 meters (39.4 feet). Meets ABYC Standard A-16. 12 VDC, 6 CP (#90) lamp included. Base is predrilled with three countersunk holes for #10 screws. Overall height: 10". Zamak with Permaplate® finish.

| ORDER NO. | PRICE |
|-----------|---------|
| ATT 63683 | \$58.00 |



SEADOGLINE Stainless Steel Masthead Light

| ORDER NO. | ARC | LIGHT DIA. | HEIGHT | PRICE |
|-------------|------------------|------------|--------|---------|
| SDG 4001401 | 32PTS | 2-1/4" | 1-3/8" | \$13.50 |
| SDG 4001211 | Replacement Lens | | | \$3.25 |



PERKO^{INC.} Masthead Light Fixed Assembly

For hard top mounting. Chrome-plated zinc bases. Anodized aluminum tubes. Certified, for use on power vessels under 12 meters (39.4 ft.).

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------------|---------|
| PER 1196DP1CHR | Light 6" | \$52.58 |
| PER 1196DP2CHR | Light 12" | \$57.17 |
| PER 0278DP0WHT | Spare Lenses | \$14.61 |
| PER 1158DP0BLK | Spare Top Cap w/ Screw | \$14.61 |
| PER 0071DP0CLR | Spare Bulbs | \$11.87 |

| Height Overall | Size Base |
|----------------|-----------|
| 6" | 1x2"-5/8" |
| 12" | 1x2"-5/8" |



aqua signal Masthead Light with Halogen Deck Flood Light



Black housing 12 volt

| ORDER NO. | PRICE |
|------------|---------|
| AQS 250007 | \$22.95 |



Black housing, all round white 10 watt, 12 volt

| ORDER NO. | PRICE |
|------------|---------|
| AQS 254047 | \$78.95 |

| ORDER NO. | SPARE BULB | PRICE |
|------------|-----------------------|---------|
| AQS 902007 | Festoon bulbs 10W/12V | \$11.95 |
| AQS 904707 | Halogen bulbs 20W/12V | \$14.95 |

Stainless Steel Bracket for Masthead Light

Fits any mast profile.



| ORDER NO. | PRICE |
|------------|---------|
| AQS 259036 | \$17.95 |

Stainless Steel Universal Bracket

To mount running lights on deck.



| ORDER NO. | PRICE |
|------------|---------|
| AQS 259026 | \$17.95 |

PERKO^{INC.} Masthead Light

Anodized Aluminum tubes for flat or V-type mount. Certified. Fig. 1181 – Fold-down, ADJ. angle, horizontal mount Fig. 1184 – Fold-down, ADJ. angle, vertical mount Height overall 13-1/2 inches. For use on power vessels under 20 meters (65.6 ft.).

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|---|---------|
| PER 1181DP0CHR | Horizontal Mount Light | \$64.29 |
| PER 1184DP0CHR | Vertical Mount Light | \$64.29 |
| PER 1052DPACHR | Spare Zinc Bracket w/ Knob for 1181 (Old Style) | \$23.76 |
| PER 1054DPACHR | Spare Zinc Bracket w/ Knob for 1184 (Old Style) | \$23.76 |
| PER 1144A00BLK | Spare Knob for Old Style | \$7.98 |



Masthead Lights

PERKO^{INC.} Masthead Light

Chrome-plated zinc with black plastic base for use on vessels under 20 meters (65.6 ft.) in length. Vertical surface mount. 3-mile visibility. Spare lenses (2 per bag), Cat. no. 278 DP WHT. Spare bulbs (2 per bag), Cat. no. 71 DP CLR.



| ORDER NO. | PRICE | ORDER NO. | PRICE |
|----------------|---------|----------------|---------|
| PER 1331DP0CHR | \$54.03 | PER 0071DP0CLR | \$11.87 |
| | | PER 0278DP0WHT | \$14.61 |

PERKO^{INC.} Masthead Light

- For mounting into masthead. Certified.
- Chrome-plated zinc base
- Anodized aluminum tube

| 1197 | | 1183 | |
|----------------|-------------|--------|-------------|
| Height Overall | O.D Tubing. | Height | Base |
| 5" | 3/4" | 4-1/4" | 1" x 2-5/8" |



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------------|---------|
| PER 1183DP0CHR | Light with Base | \$46.92 |
| PER 1197DP0CHR | Light Plug in Style | \$37.76 |
| PER 0278DP0WHT | Spare Lenses | \$14.61 |
| PER 1158DP0BLK | Spare Top Cap w/ Screw | \$14.61 |
| PER 0071DP0CLR | Spare Bulbs | \$11.87 |

PERKO^{INC.} Masthead Light 3-Mile Visibility

- Chrome-plated zinc mounting bracket
- Plastic adapters for flat or V-type 45° windshields
- Vertical height 20-3/4"
- Spare bulbs (2 per card), Cat. no. 71 DP CLR
- Spare lenses (2 per card), Cat. no. 278 DP WHT
- Spare cap for base, Cat. no. 125 DP BLK
- Spare base with socket assembly, Cat. No. 1124 DP 99A.



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------|----------|
| PER 1123DP2CHR | Horizontal Mount | \$100.45 |
| PER 1124DP2CHR | Vertical Mount | \$100.45 |

PERKO^{INC.} Tower/Arch Light

- 360° All-round navigation light in the up position
- Small, compact size (6-3/4" from center of mounting screw holes to the center of the filament)
- A cockpit courtesy light in the down position
- Forward and out of the way for daytime skiing or boarding
- Easy to mount on towers, arches or windshields
- "Reduced Glare" design, black plastic top with clear fluted lens, frosted globe and black plastic base, 3/4" anodized aluminum pole.
- For vessels under 20 meters (65.6') in length
- Vertical mount
- Thumbscrew makes for easy adjustment of light position.
- Base dimensions 2" x 1-1/2"



| ORDER NO. | PRICE |
|----------------|---------|
| PER 1607DP0CHR | \$56.74 |

PERKO^{INC.} All-Round Light

Plastic Base, Black Plastic Top. Anodized Aluminum Tube. Certified with No. 90. 12 Volt, 6 C.P. Bulb Supplied. Spare globe #248DPCLR.



| ORDER NO. | HEIGHT | BASE | PRICE |
|----------------|---------|--------|---------|
| PER 0455DP1CHR | 4-1/2" | 2-1/6" | \$57.39 |
| PER 0455DP2CHR | 11-7/8" | 2-1/6" | \$62.32 |

PERKO^{INC.} Deck Mount Chrome-Plated Brass Base

- Anodized aluminum tube
- 3-mile visibility

| Length Overall | Height Vertical | Dimensions Base |
|----------------|-----------------|-----------------|
| Inches | Inches | Inches |
| 36 3/8 | 31 5/8 | 3 3/8 x 2 1/4 |

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------------|----------|
| PER 1125DP4CHR | Light w/ Base | \$132.97 |
| PER 0278DP0WHT | Spare Lenses | \$14.61 |
| PER 1158DP0BLK | Spare Top Cap w/ Screw | \$14.61 |
| PER 0125DP0BLK | Spare Cover for Base | \$7.14 |
| PER 0071DP0CLR | Spare Bulbs | \$11.87 |



PERKO^{INC.} Combination Masthead and White All-Round Lights

For use on power driven vessels under 12 meters (39.4 ft.) in length.

- Reduced glare design
- Black plastic and chrome-plated zinc alloy top
- Black plastic base
- 3/4" diameter anodized aluminum tubes
- Fold-down, adjustable angle

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|---|---------|
| PER 1281DP0CHR | Horizontal Mount Light | \$57.45 |
| PER 1284DP0CHR | Vertical Mount Light | \$57.45 |
| PER 1052DPACHR | Spare Zinc Bracket w/ Knob for 1281 (Old Style) | \$23.76 |
| PER 1054DPACHR | Spare Zinc Bracket w/ Knob for 1284 (Old Style) | \$23.76 |
| PER 1144A00BLK | Spare Knob for Old Style | \$7.98 |



Fig. 1281 Fig. 1284

attwood^{genuine ingenuity} 3-Mile Anchor/Masthead Lights

Anchor/Masthead light has a sleek, clear lens design. The light adjustment has been made easier with the addition of a cam-lock adjustment handle. For use on boats up to 65.6' (20 meters) provides a complete 360°, 3 mile visibility. Includes two 10 watt festoon lamps. Masthead light provides 225° arc of light while underway and at anchor. When anchored, the anchor light illuminates to provide the remaining rear facing 135° arc of light. Constructed of durable, engineered alloyed plastic resin. Includes horizontal and vertical mount base styles.

| ORDER NO. | HEIGHT | PRICE |
|-----------|--------|---------|
| ATT 72017 | 12" | \$55.12 |
| ATT 72027 | 20" | \$62.44 |



All-Round Lights

PERKO^{INC.}

White All-Round Light

Vertical mount for flat or V-type center posts of windshield. Black plastic top. Anodized aluminum tube.

- Height: 13-5/8"
- Base: 2-1/4" X 5/8"
- Certified with no. 90, 12 volt 6 C.P. bulb



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|---|---------|
| PER 1137DP0CHR | Vertical Mount Light | \$40.11 |
| PER 1054DP0CHR | Spare Zinc Bracket w/ Knob for 1137 (Old Style) | \$23.76 |
| PER 0201DP0WHT | Spare Globe | \$12.35 |
| PER 1144A00BLK | Spare Knob for Old Style | \$7.98 |

PERKO^{INC.}

Telescoping All-Round Light

Anodized aluminum tube. Certified for use on power vessels under 20 meters (65.6'). Chrome zinc base. Certified with no. 90. 12 volt 6 C.P. bulb. Black plastic top. Base dimension: 3-3/8" x 1-5/8". Spare globe #248DPCLR



| ORDER NO. | LENGTH | PRICE |
|----------------|--------|---------|
| PER 1311DP2CHR | 24" | \$40.24 |
| PER 1311DP3CHR | 30" | \$43.37 |
| PER 1311DP4CHR | 36" | \$46.47 |

PERKO^{INC.} All-Round Light

Clear Fresnel Globe

- Chrome-plated brass top and base
- Vertical height 21 3/8"; base length 3-3/8"; width 2-1/4"
- For power vessels under 20 meters. (65.6 ft)
- Spare globe #248 DPCLR



| ORDER NO. | PRICE |
|----------------|---------|
| PER 1209DP2CHR | \$93.42 |

PERKO^{INC.}

"Stowaway" All-Round Plug-In The Light

- Pole is instantly removable for stowing away
- Chromium-plated base, anodized aluminum pole
- Black plastic top with 12 volt lamp, no. 90
- Base dimension 3-3/8" x 1-5/8"
- For power vessels under 20 meters. (65.6 ft)



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|---------------------|---------|
| PER 1330DP2CHR | 24" Light w/ Base | \$65.80 |
| PER 1330DP3CHR | 30" Light w/ Base | \$72.42 |
| PER 1330DP4CHR | 36" Light w/ Base | \$77.50 |
| PER 0248DP0CLR | Spare Globe | \$11.40 |
| PER 1059P00DP | Spare Base Assembly | \$24.42 |

PERKO^{INC.}

Fold Down White All-Round Lights

Fold down white all-round lights certified for use on sail or power driven vessels under 20 meters (65.6 ft.) in length. For use on windshields, t-tops, rails, arches and hard tops.

Construction:

- Plastic adapter available for flat or "v" type mounts, contains notch for through-base wiring
- Fold-down, adjustable angle
- Reduced glare design
- Black plastic top with clear
- Fluted lens & frosted globe
- Black plastic base



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|--------------|---------|
| PER 1634DP0CHR | Horiz. Mount | \$39.24 |
| PER 1637DP0CHR | Vert. Mount | \$39.24 |



Pedestal Navigation Light

- Designed for Power Boats
- Black 4" pedestal, shock resistant polycarbonate
- Range of visibility 2 nautical miles



| ORDER NO. | DESCRIPTION | PRICE |
|------------|-----------------------------|---------|
| AQS 200407 | 4" Pedestal All Round Light | \$23.95 |
| AQS 903847 | Halogen Bulb | \$16.95 |

INNOVATIVE LIGHTING inc. All-Round LED Pedestal Mount

- 12 Volt DC
- Single LED Configuration
- For Powerboats Under 20 Meters (65.6 Ft.)
- 50,000 Hours of Service Life
- Uses 3 Watts of Energy
- Transparent Lens and Frosted Globe
- Shock and Vibration Proof
- Equipped with Thin Shaft
- Fixed Mounting Base
- Compliant with USCG regulations



| ORDER NO. | HEIGHT | PRICE |
|--------------|--------|---------|
| INN 50002007 | 8" | \$53.99 |

PERKO^{INC.} Fixed Mount All-Round White Light

Plastic base, black plastic top. Anodized aluminum tube. Height: 7-1/8" Base: 1 x 2-5/8"



| ORDER NO. | PRICE |
|----------------|---------|
| PER 1301DP0CHR | \$20.92 |

All-Round Lights

PERKO^{nc} Stealth Series – L.E.D. Fold Down White All-Round Light

- For use on vessels under 65.6' in length.
- 2 nm visibility
- For Use on Windshields, T-Tops, Rails, Arches and Hard Tops
- Plastic Adapter Available for Flat or "V" Type Mounts, Contains Notch for Through-Base Wiring
- Fold-Down, Adjustable Angle
- Reduced Glare Design
- Black Plastic Top with Clear Fluted Lens & Frosted Globe
- Chrome Plated Zinc Alloy Base
- Quick Release Lever
- Graduated Adjustment Increments
- Designed for use on Pontoon Boat Square Rails
- Vertical Height 13-3/8"

| ORDER NO. | PRICE |
|----------------|---------|
| PER 1642DP0CHR | \$88.29 |



PERKO^{nc} Stealth Series – L.E.D. Fold Down White All-Round Light

- For use on vessels under 65.6' in length.
- 2 nm visibility
- Plastic Adapter Available for Flat or "V" Type Mounts, Contains Notch for Through-Base Wiring
- Fold-Down, Adjustable Angle
- Reduced Glare Design
- Black Plastic Top with Clear Fluted Lens & Frosted Globe
- Black Plastic Base
- Base Dimensions: 2" x 1-1/2"
- 13-3/8" Vertical Height

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------|---------|
| PER 1636DP0CHR | Horizontal Mount | \$83.89 |
| PER 1639DP0CHR | Vertical Mount | \$83.89 |



SEADOGLINE

L.E.D. Fold Down All Around Light

Injection Molded Nylon/Chrome Plated Zinc LED Fold Down All Around Lights are approved for USCG 2NM (Colreg 2 mile). 12 Volt DC.

| ORDER NO. | HEIGHT | PRICE |
|-------------|--------|---------|
| SDG 4000121 | 9" | \$56.95 |
| SDG 4000131 | 24" | \$63.95 |



SEADOGLINE

L.E.D. Fixed Mount All Around Light

Injection Molded Nylon/Chrome Plated Zinc LED Fixed Mount All Around Lights are approved for USCG 2NM (Colreg 2 mile). 12 Volt DC.

| ORDER NO. | HEIGHT | PRICE |
|-------------|--------|---------|
| SDG 4000101 | 4" | \$52.95 |
| SDG 4000111 | 7-1/2" | \$53.75 |



SEADOGLINE

L.E.D. Removable All Around Light

Injection Molded Nylon/Chrome Plated Zinc LED Removable All Around Lights are approved for USCG 2NM (Colreg 2 mile). 12 Volt DC.

| ORDER NO. | HEIGHT | PRICE |
|-------------|--------|---------|
| SDG 4000151 | 24" | \$68.95 |



Traditional Navigation Light

10W White Light w/Black Housing
Minimum visibilities of 2 nautical miles, masthead 3 n.m.

| ORDER NO. | DESCRIPTION | PRICE |
|------------|------------------------|---------|
| AQS 400007 | Navigation Light | \$74.95 |
| AQS 900057 | Spare 10W Halogen Bulb | \$22.95 |
| AQS 900027 | Spare 25W Halogen Bulb | \$22.95 |



PERKO^{nc} Tower/Arch Mount Folding L.E.D. White All-Round Light

- For use on vessels under 65.6' in length.
- 2 nm visibility
- Reduced Glare Design
- Black Plastic Top with Clear Fluted Lens & Frosted Globe
- Fold-Down, Adjustable Angle
- Black Plastic Base
- 6-3/4" Vertical Height

| ORDER NO. | PRICE |
|----------------|---------|
| PER 1609DP0CHR | \$77.11 |



PERKO^{nc} Stealth Series – L.E.D. Fixed Mount White All-Round Lights

- For use on vessels under 65.6' in length.
- 2 nm visibility
- "Reduced Glare" Design
- Black Plastic Top with Clear Fluted Lens & Frosted Globe
- Fixed Mount Black Plastic Base
- Base Dimensions: 1" x 2-5/8"
- Vertical Height 7-1/8'

| ORDER NO. | PRICE |
|----------------|---------|
| PER 1608DP0BLK | \$65.87 |



All-Round Lights

INNOVATIVE LIGHTING inc. **Extend-A-Light Manual Stern Light**

- 4 feet extended length
- For Powerboats Under 20 Meters (65.6 ft)
- Single LED Configuration
- 50,000 Hours LED Service Life
- Energy Draw 350 Milliamps
- Vibration and Shock Proof
- Sealed Circuitry
- Requires 1 3/4" (1.75") Hole
- Corrosion Resistant Construction
- Durable Stainless Steel Telescopic Pole
- Easily Installed on New and Used Boats
- No Change in Current Switch Required
- Certified Ignition Protected
- IMCI Certified for ISO #8846
- Easy Pull-Up/Push-Down Hand Operation
- Requires 20.25 inches gunnel depth



| ORDER NO. | PRICE |
|--------------|----------|
| INN 51412001 | \$109.99 |

INNOVATIVE LIGHTING inc. **Powerlight Motorized LED Stern Light**

- Extended Height 4 feet
- For Powerboats Under 20 Meters (65.6 ft)
- Single LED Configuration
- 50,000 Hours LED Service Life
- LED Energy Draw 350 Milliamps
- Vibration and Shock Proof
- Sealed Circuitry
- Requires 1 3/4" (1.75") Hole
- Corrosion Resistant Construction
- Durable Stainless Steel Telescopic Pole
- Easily Installed on New and Used Boats
- No Change in Current Switch Required
- Certified Ignition Protected
- IMCI Certified for ISO #8846
- Automated Up/Down Operation
- Motor Draws 3 Amps
- Requires 20.25 inches gunnel depth



| ORDER NO. | PRICE |
|--------------|----------|
| INN 50412001 | \$169.99 |

aqua signal **All around Pole light w/base**

Meets USCG (A-16) 2 nm for vessels up to 65'. Made from 3/4" anodized aluminum. Includes 12V/10W bulb (replacement bulb #90022-7). Includes base 22810. Articulating lens up to 15 degrees to compensate for different mounting positions. Includes locking collar.



| ORDER NO. | DESCRIPTION | PRICE |
|------------|------------------|---------|
| AQS 222447 | 24" Light w/base | \$28.95 |
| AQS 224847 | 48" Light w/base | \$39.95 |
| AQS 228107 | Base only | \$14.95 |



attwood **All-Round Light, Anti-Glare 20" Pole, Fold-Down Base**

- Fold-down base allows light to swing 180°
- Includes Vertical/Horizontal Mounts
- Two-mile 360° light visibility
- For boats up to 39.4' (12m)
- Includes 9 Watt wedge base lamp
- Requires (2) #10 fasteners



| ORDER NO. | PRICE |
|-------------|---------|
| ATT 5357207 | \$41.72 |

PERKO **All-Round Light**

- Certified with no. 90, 12 volt bulb
- Telescoping-type deck mount light with a positive tightening device for height adjustment
- Chrome-plated zinc base
- Black plastic top
- Anodized aluminum pole
- For power vessels under 20 meters (65.6 ft)



| ORDER NO. | LENGTH | PRICE |
|----------------|--------|---------|
| PER 1611DP2CHR | 24" | \$39.87 |
| PER 1611DP3CHR | 30" | \$42.74 |
| PER 1611DP4CHR | 36" | \$44.79 |

PERKO **White All-Round Light**

- "New Reduced Glare" Design
- Black plastic top with clear fluted lens and frosted globe
- Certified for use on power drive vessels under 20 meters (65.6 ft.) in length.
- Height: 6-3/4"
- Base: 1 x 2-5/8"



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|----------------|---------|
| PER 1604DP0CHR | Light Assembly | \$19.95 |
| PER 0338DP2CLR | Spare Bulbs | \$9.14 |

attwood **Stowaway All-Round Light With Base**

A new lighter weight head for the marine industry's most popular all-round light. Anodized aluminum pole for corrosion resistance. Frosted, screw-on globe provides soft, glare-free light. Two mile all-round light for powerboats under 12 meters (39.4 feet), 12 VDC, 15 CP (#1004) lamp included. Meets ABYC Standard A-16. Plain base.

| ORDER NO. | LENGTH | PRICE |
|------------|--------|---------|
| ATT 7100A7 | 24" | \$44.78 |
| ATT 7100B7 | 30" | \$50.65 |
| ATT 7100C7 | 36" | \$52.27 |



attwood **All-Round Light Telescoping**

A new lighter weight head for the marine industry's most popular all-round light. Frosted, screw-on globe. Anodized aluminum pole for corrosion resistance. Two mile all-round light for powerboats under 12 meters (39.4 feet), 12 VDC, 15 CP (#1004) lamp included. Meets ABYC Standard A-16.

| ORDER NO. | DESCRIPTION | PRICE |
|-------------|-------------|---------|
| ATT 7101A7 | 24" Light | \$51.25 |
| ATT 7101B7 | 30" Light | \$51.60 |
| ATT 91017B1 | Spare Globe | \$6.50 |



All-Round Lights



Stealth Series – L.E.D. Universal Replacement Pole Light

- A reduced glare globe preserves night vision while under way. Adjustability of the globe allows for proper horizontal alignment regardless of base configuration.
- Black Plastic
- 3/4 Inch Diameter Anodized Aluminum Tube
- 2 Collars - Threaded and Locking
- 2 Screw Positions
- Wide 40° Adjustable Head Gold Plated Contacts

Locking Collar Fits Bases: 1045, 1046, 1047, 1059 & 1060 (2 Pin)

Large Threaded Collar Fits Bases: 1048 (2 Pin)

| ORDER NO. | LENGTH | PRICE |
|----------------|--------|----------|
| PER 1347DP4CHR | 36" | \$96.00 |
| PER 1347DP6CHR | 48" | \$100.36 |



“Reduced Glare” All-Round Replacement Poles Without Bases

Glare from standard lights can reduce night vision of the operator and impair his or her ability to see approaching vessels, obstructions and navigational aids. PERKO’s “Reduced Glare” design focuses the beam of light above the operators line of sight, thus limiting glare and improving overall night vision.



| ORDER NO. | STYLE | SIZE | PRICE |
|----------------|--------------------|------|---------|
| PER 1440DP4CHR | Uses Straight Base | 36" | \$33.95 |
| PER 1440DP5CHR | Uses Straight Base | 42" | \$37.10 |
| PER 1440DP6CHR | Uses Straight Base | 48" | \$41.13 |
| PER 1445DP4CHR | Uses 5" Base | 36" | \$33.95 |
| PER 1445DP5CHR | Uses 5" Base | 42" | \$37.46 |
| PER 1445DP6CHR | Uses 5" Base | 48" | \$41.13 |



All-Round Plug-in Pole Light – Anti-Glare Articulating Head

Anti-Glare Lens

- The lens is clear at the top to shine where it’s needed – and above. Provides a broad arc of light in rolling seas and makes the boat visible to taller craft such as freighters and commercial vessels
- When the lens is positioned at the One Meter Rule above sidelines, the bottom aperture reduces glare on the driver by cutting off the light beam at 7.5° below horizontal

High Output, 2-Mile Visibility

- Efficient 8-watt lamp produces high output and minimal heat
- Precision lens design focuses light for maximum visibility and accurate 360° light distribution

Meets or Exceeds Standards

- Conforms to current domestic and international standards for boats up to 12 meters (39.4')

Matches Existing Applications

- Fits Attwood and competitive model 2-pin plug-in bases

| ORDER NO. | DESCRIPTION | PRICE |
|-------------|----------------|---------|
| ATT 5330427 | 42" Pole Light | \$39.09 |
| ATT 5330487 | 48" Pole Light | \$41.82 |
| ATT 912852 | Repl. Lens | \$3.63 |



Replacement Pole Light

The Delta Series is the ultimate replacement pole light. This series offers the features of virtually every other replacement pole light on the market all in one single package. For vessels under 20 meters.

- Contemporary styling
- Plastic top
- 12 Volt bulb
- 3/4" dia. anodized tube
- Stow-A-Way plug-In pole
- Fits 2 pin bases
- Wide 40° head adjustability +/- 20°

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-------------------------|---------|
| PER 1470DP2CHR | 24" Straight Pole Light | \$41.66 |
| PER 1470DP4CHR | 36" Straight Pole Light | \$44.89 |
| PER 1470DP5CHR | 42" Straight Pole Light | \$48.03 |
| PER 1470DP6CHR | 48" Straight Pole Light | \$52.13 |
| PER 1470DP7CHR | 54" Straight Pole Light | \$54.18 |
| PER 1470DP8CHR | 60" Straight Pole Light | \$56.79 |
| PER 1451DP6CHR | 48" Folding Pole Light | \$90.32 |
| PER 1451DP8CHR | 60" Folding Pole Light | \$94.45 |



Folding-Pole All-Round Light

All the features of the patented Articulating Anti-Glare light plus one great advantage – the removable pole folds in half for easy stowage.

| ORDER NO. | HEIGHT | PRICE |
|-------------|--------|---------|
| ATT 5340547 | 54" | \$63.13 |



Replacement Lens

| ORDER NO. | PRICE |
|------------|--------|
| ATT 912852 | \$3.63 |



Head and Pole Assembly

Replacement for 7100 series. All-around lights. Anodized aluminum.

| ORDER NO. | LENGTH | PRICE |
|-------------|--------|---------|
| ATT 5100301 | 30" | \$28.65 |
| ATT 5110367 | 36" | \$30.49 |
| ATT 5110427 | 42" | \$30.98 |
| ATT 5110487 | 48" | \$31.97 |



Universal Replacement Plug-in Type

This unit has been designed to fit PERKO figs. 1330, 1430, 1530, 1630 and 1631 as well as many competitive pole lights. Anodized aluminum. Black plastic top.

| ORDER NO. | LENGTH | PRICE |
|----------------|--------|---------|
| PER 1400DP2CHR | 24" | \$35.94 |
| PER 1400DP3CHR | 30" | \$37.97 |
| PER 1400DP4CHR | 36" | \$40.24 |
| PER 1400DP5CHR | 42" | \$42.87 |
| PER 1400DP6CHR | 48" | \$45.47 |



Stern Lights

SEADOGLINE L.E.D. Transom Light - Round

Stamped 304 Stainless
LED Transom Lights are approved for
USCG 2 NM (Colreg 2 mile). 12 volt.



| ORDER NO. | DIAMETER | PRICE |
|-------------|----------|---------|
| SDG 4000601 | 3-3/16" | \$55.95 |

SEADOGLINE Transom Light-Rectangular

Stamped 304 stainless.



| ORDER NO. | SIZE | PRICE |
|-------------|-----------------|---------|
| SDG 4001361 | 5-1/8" x 3-1/8" | \$14.25 |

SEADOGLINE LED Transom Light - Rectangular

NEW

Stamped 304 Stainless
LED Transom Lights are approved
for USCG 2 NM. 12 volt.
4-3/4" x 2-3/4"



| ORDER NO. | PRICE |
|-------------|---------|
| SDG 4000651 | \$61.95 |

PERKO Stern Light

Chrome-plated brass top with black plastic base.
Vertical flush mount. Certified for vessels
under 20 meters (65.6ft).

| Dimensions | Depth |
|------------------|--------|
| 5 3/16" x 3 3/8" | 1 1/2" |

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------|----------|
| PER 0939DP112V | Stern Light | \$114.64 |
| PER 0284DP0CLR | Replacement Lens | \$8.79 |
| PER 0070DP0CLR | Spare Bulbs | \$12.48 |



PERKO Chromalex Stern Light®

Brass – polished chromium-plated black plastic
base with stainless steel screws for mounting.
Certified with fig. 71 bulb, supplied with light.



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|-------------|---------|
| PER 0945DP0CHR | Stern Light | \$50.68 |
| PER 0074DP0WHT | Spare Lens | \$8.79 |
| PER 0071DP0CLR | Spare Bulbs | \$11.87 |

| Height of light | Diameter of Base |
|-----------------|------------------|
| 1-5/8" | 2-3/8" |

PERKO Horizontal Surface Mount 2-Mile Visibility

Chrome-plated brass top with black plastic
base. For use on vessels under 12 meters
(39.4') In length.



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------|---------|
| PER 0964DP0CHR | Stern Light | \$50.18 |
| PER 0281DPAWHT | Replacement Lens | \$7.14 |
| PER 0071DP0CLR | Spare Bulbs | \$11.87 |

| O.D. Base | Vertical Height |
|-----------|-----------------|
| 2-3/8" | 7/8" |

PERKO Chromalex Stern Lights®

Die cast zinc alloy – polished chromium-plated black plastic base.
Vertical surface mount. 2-mile visibility. Certified
with Fig. 71 bulb. Supplied with light.



| ORDER NO. | PRICE | Length | Width |
|----------------|---------|--------|--------|
| PER 1332DP0CHR | \$54.03 | 3-3/4" | 1-1/2" |

attwood E-Z Mount Flush Stern Light-Stainless Steel

Two-mile stern light for powerboats and sailing
vessels under 20 meters (65.6 feet). Meets ABYC
Standard A-16. 12 VDC, 6 CP (#90) lamp included.
Stainless steel screws included. Size: 3" diameter.
Installation hole size: 2".



| ORDER NO. | PRICE |
|------------|---------|
| ATT 6356D7 | \$19.65 |

SEADOGLINE Transom Light-Round

Stamped 304 stainless.



| ORDER NO. | DIA. | PRICE |
|-------------|--------|---------|
| SDG 4001351 | 3 1/8" | \$11.75 |

PERKO Stern Light

Brass polished chromium-plated vertical
flush type. Certified for 12 volt with Fig. 70
no. 0 bulb. Two-mile visibility. Supplied
complete with black plastic base.



| Diameter | Depth |
|----------|-------|
| 3" | 1" |

| ORDER NO. | DESCRIPTION | PRICE |
|----------------|----------------------|---------|
| PER 0946DP112V | Stern Light Chrome | \$61.88 |
| PER 0946DP1WHT | Stern Light White | \$43.53 |
| PER 0946DP099A | Spare Lens w/ Gasket | \$8.79 |
| PER 0071DP0CLR | Spare Bulbs | \$11.87 |



PERKO Chromalex® Stern Light

Brass polished chromium-plated black plastic
base with stainless steel screw for mounting.
Certified with Fig. 71, 12 volt bulb.



| ORDER NO. | DESCRIPTION | PRICE |
|----------------|------------------|---------|
| PER 0965DP0CHR | Stern Light | \$50.18 |
| PER 0281DPAWHT | Replacement Lens | \$7.14 |
| PER 0071DP0CLR | Spare Bulbs | \$11.87 |

SEADOGLINE Stainless Steel Masthead Light

| ORDER NO. | ARC | LIGHT DIA. | HEIGHT | PRICE |
|-------------|------------------|------------|--------|---------|
| SDG 4001201 | 20 PTS | 2-1/4" | 1-3/8" | \$16.00 |
| SDG 4001211 | Replacement Lens | | | \$3.25 |



SEADOGLINE Stainless Steel Stern Light

| ORDER NO. | ARC | LIGHT DIA. | HEIGHT | PRICE |
|-------------|------------------|------------|--------|---------|
| SDG 4001301 | 12 PTS | 2-1/4" | 1-3/8" | \$13.05 |
| SDG 4001211 | Replacement Lens | | | \$3.25 |





Battery Operated Navigation Lights

Fulton Marine Running Lights were tested to meet or exceed A-16 standards and meet all lawful requirements for use on inland and international waters when properly placed on your boat. U.V. stabilized mica filled polypropylene plastic body. Must use Fulton #1 bulb to meet requirements. Same as other all round /stern lites except that light is mounted on durable, heavy duty suction cup.

| ORDER NO. | PRICE |
|-----------|---------|
| FLT 50PWR | \$18.75 |



Portable Lights



Two Cell All-Round/Sternlites

- 2-1/2" dia. clear-reflective lens (patent pending)
- Height 25"
- Fiberglass pole has adjustable C-clamp
- No. 49 same as no. 48 except has slide-rod socket to adjust height or remove light.

| ORDER NO. | PRICE |
|-----------|---------|
| FLT 48PWR | \$18.75 |
| FLT 49PWR | \$18.75 |

Camouflage Model

| ORDER NO. | PRICE |
|-----------|---------|
| FLT 48CWR | \$24.61 |



No. 48

No. 49

attwood Portable Navigation Lights

For attachment on inflatables or other surfaces where screws cannot be used. Portable stern and bow lights are removable for safe keeping. Stern lights have clear lenses, bow lights have red/green lens.

**Stern Light
C-clamp Mount**



**Bow Light
C-clamp Mount**



| ORDER NO. | DESCRIPTION | PRICE |
|------------|-------------|---------|
| ATT 142597 | Bow light | \$24.19 |
| ATT 142607 | Stern Light | \$24.19 |



Two Cell Bowlites – Length: 7-1/2"

- No. 43-P 2 1/2" dia. red/green lens.
- No. 51-P same as no. 43 except has C-clamp for mounting on blunt end of John boats
- No. 52-P same as no. 51 except has C-clamp for mounting to horizontal surface
- No. 52-C camouflage model
- No. 53-P same as other bowlites except that light is mounted on durable, heavy duty suction cup



43-PWR



51-PWR



52-PWR



53-PWR

| ORDER NO. | DESCRIPTION | PRICE |
|-----------|----------------------|---------|
| FLT 43PWR | Bowlight | \$18.75 |
| FLT 51PWR | Bowlight C-Clamp | \$18.75 |
| FLT 52PWR | Bowlight C-Clamp | \$18.75 |
| FLT 52CWR | Bowlight C-Clamp | \$24.61 |
| FLT 53PWR | Bowlight Suction Cup | \$18.75 |
| FLT 1BP | Replacement Bulbs | \$9.14 |



Portable

Bow and Stern LED Lights

- Requires 4 AA Batteries (Not Included)
- Molded One Piece Body Design
- Shock Resistant
- Rated at 100,000 Hours of Life
- Uses 90% Less Energy than Incandescent
- Sealed Heavy Duty On/Off Switch
- Removable Lamp Carriage Assembly
- Fully Buoyant
- Single LED Configuration

| ORDER NO. | DESCRIPTION | PRICE |
|---|-------------|---------|
| Suction Cup | | |
| INN 56011107 | Bow Light | \$26.99 |
| INN 56021107 | Stern Light | \$26.99 |
| Universal C-Clamp | | |
| INN 56011117 | Bow Light | \$26.99 |
| INN 56021137 | Stern Light | \$31.99 |
| For Inflatables w/Mounting Pad-2" Pole, Lanyard and Pull Pin | | |
| INN 56011127 | Bow Light | \$26.99 |
| INN 56021127 | Stern Light | \$26.99 |



560 Series LED Bow Light Camo Case

- Requires 4 "AA" batteries (not included)
- Molded one-piece white body construction
- Shock resistant neoprene accents
- Rated at 100,000 hours LED service life
- Uses 90% less energy than incandescent
- Sealed heavy duty on/off switch
- Insert molded brass threaded mounting bushings
- Removable lamp carriage assembly
- Fully buoyant



| ORDER NO. | DESCRIPTION | PRICE |
|--------------|---|---------|
| INN 56018147 | Bow Light with Universal C-Clamp Camouflage Body | \$26.99 |
| INN 56028137 | Stern Light with 18" Pole and Universal C-Clamp and U-Clamp Camouflage Body | \$31.99 |

Replacement Bases

PERKO^{INC.}

Spare Base

2 contact base
Fits 1400, 1440, 1451 series



| ORDER NO. | PRICE |
|---------------|---------|
| PER 1047P00DP | \$36.79 |

PERKO^{INC.}

Spare Bracket

For Figs. 1184 and 1284
windshield mount lights.



| ORDER NO. | PRICE |
|----------------|---------|
| PER 1054DPACHR | \$23.76 |

PERKO^{INC.}

Spare Base

For Figs. 1212 1430, and
1470 pole lights. 5° angle, 2
contact base.



| ORDER NO. | PRICE |
|---------------|---------|
| PER 1060PB0DP | \$31.97 |

PERKO^{INC.}

**Spare Plug-In Type,
Screw-On Cap Base**

For Figs. 1124 and 1274 windshield
mount lights.



| ORDER NO. | PRICE |
|----------------|---------|
| PER 1124DP099A | \$49.74 |

PERKO^{INC.} **3-Pin Locking Collar Pole Light Mounting
Base for Figs. 1422 & 1212**

- Black plastic and chrome-plated zinc alloy
- Black plastic insert
- Waterproof snap-on cover
- 5° rake



| ORDER NO. | PRICE |
|---------------|---------|
| PER 10603B0DP | \$35.53 |

attwood ^{genuine ingenuity} **Round Base
with Stainless Steel Cover**

This plug-in pole light base offers clean, fresh styling with a rugged stamped stainless steel cover. Perfect for saltwater applications and high-end boats. The round footprint is only 2-3/8" diameter. When closed, profile is only 3/8" high. Elastomeric liner seals water out of the socket when cover is closed. Inner socket contains a large drain hole to prevent clogging and contact failure. For use with all straight pole lights with a locking collar.

- Horizontal deck mount
- 2-pin contact sockets



| ORDER NO. | PRICE |
|------------|---------|
| ATT 910247 | \$21.73 |

PERKO^{INC.} **Fold-Down Adjustable Angle With
Plastic Adapters for V- or Flat Mount**

Figure 1052A – horizontal mount, fits figures 1181 and 1281
Figure 1052 – horizontal mount, fits figures 1134 and 1634
Figure 1054 – vertical mount, fits figures 1137 and 1637

| ORDER NO. | PRICE |
|----------------|---------|
| PER 1052DP0CHR | \$23.76 |
| PER 1052DPACHR | \$23.76 |
| PER 1054DP0CHR | \$23.76 |



PERKO^{INC.}

**Plug-In Type Base,
Chromalex**

2 contact base



| ORDER NO. | FITS | PRICE |
|---------------|-------------|---------|
| PER 1046P00DP | 1445 Series | \$36.79 |

PERKO^{INC.} **Spare Base for Fig.
1621, 1470 & 1655 Series Lights**

For poles with threaded collars. 2 contact base



| ORDER NO. | PRICE |
|---------------|---------|
| PER 1048P00DP | \$33.18 |

PERKO^{INC.} **3-Contact Plug-In
Type, Waterproof Snap-On Cover**

Fits Figures 1211 and 1421 Series.



| ORDER NO. | PRICE |
|---------------|---------|
| PER 1045300DP | \$35.11 |

PERKO^{INC.}

**Spare Base for Figs. 940, 970, 1470,
1612, 1631 & 1650 Series**

2 contact base



| ORDER NO. | PRICE |
|---------------|---------|
| PER 1045P00DP | \$33.18 |

attwood ^{genuine ingenuity} **Replacement Bases**

For 7100 Series all-around lights. **2-wire Zamak base.** Patented die cast ZAMAK base with Perma-Plate® chrome finish. **2-wire plastic base** black compact-size base for narrow mounting locations on gunwales and decks. Installation hole size: 1-1/4" diameter.



| ORDER NO. | BASE | PRICE |
|-------------|---------|---------|
| ATT 9113701 | Plastic | \$18.91 |

| ORDER NO. | BASE | PRICE |
|-------------|-------|---------|
| ATT 9113397 | Zamak | \$20.52 |



**Series 20 Plug-In
Mounting Base**



| ORDER NO. | PRICE |
|------------|---------|
| AQS 207007 | \$17.95 |



**Heavy Duty Plastic Rectangular
3 Pin Base**

Plug-in type. Use with Aqua Signal Series
22 pole lights. Base dimensions 3" x 1-3/4".



| ORDER NO. | PRICE |
|------------|---------|
| AQS 228107 | \$14.95 |

Replacement Parts



Replacement Lenses and Globes

Replacement globe, translucent. For 4900, 5400, 5401 series all-round lights.



| ORDER NO. | PRICE |
|-------------|--------|
| ATT 5424711 | \$5.04 |

Replacement globe, translucent. For 5100, 5110, 7100, 7101, 7105 and 7205 series all-round lights.



| ORDER NO. | PRICE |
|-------------|--------|
| ATT 91017B1 | \$6.50 |

Replacement lens, red and green. For 6377D, 6377E, 6377F, 6385D, 6397D, 6397E, 6397F combination sidelights manufactured after August 1, 1982.



| ORDER NO. | PRICE |
|--------------|--------|
| ATT 63752051 | \$6.58 |

Replacement globe, frosted. For 6700 series all-round lights.



| ORDER NO. | PRICE |
|-------------|--------|
| ATT 6724051 | \$6.45 |

Replacement globe, frosted. For 9000 series allround lights.



| ORDER NO. | PRICE |
|-------------|--------|
| ATT 9024051 | \$7.65 |

PERKO^{INC.}

White Lens for All-Round Lights.

1-9/16" O. D.



| ORDER NO. | PRICE |
|----------------|---------|
| PER 0201DP0WHT | \$12.35 |

Spare Lens & Gasket

For Fig 946 stern light.



| ORDER NO. | PRICE |
|----------------|--------|
| PER 0946DP099A | \$8.79 |

225° White Lens

For masthead lights.
2-3/16" O. D.



| ORDER NO. | PRICE |
|----------------|--------|
| PER 0281DPAWHT | \$7.14 |

135° Clear Lens

For stern lights 2" O. D.



| ORDER NO. | PRICE |
|----------------|--------|
| PER 0284DP0CLR | \$8.79 |

PERKO^{INC.}

Globe Sets for Perko "Reduce Glare" Lights

The 3-globe set allows you to choose the right light output for all your boating needs.

- Minimal light attracts fewer bugs
- No deck illumination still allows for good visibility from above
- Full light output allows for cockpit illumination



| ORDER NO. | PRICE |
|---------------|---------|
| PER 0030DP001 | \$30.03 |

PERKO^{INC.}

Fresnel Globes

- Clear plastic complete with gasket



| Diameter | Thread |
|----------|--------|
| Height | Inches |
| Inches | Inches |
| 2-1/2 | 2 |

| ORDER NO. | PRICE |
|----------------|---------|
| PER 0248DP0CLR | \$11.40 |

PERKO^{INC.}

Spare Lens Assembly for Non Glare Lights



| ORDER NO. | PRICE |
|----------------|---------|
| PER 0238DP0BLK | \$10.37 |

PERKO^{INC.}

Glare Shield Black Plastic

For 3/4 inch O.D. Tubing can be installed without removing light.



| ORDER NO. | SIZE | PRICE |
|----------------|--------------|---------|
| PER 1192DP0BLK | 6" x 4-5/16" | \$12.84 |